


STATE
INSTITUTIONAL
INDUSTRIES



IND.
331.51
I385
1944

SCHEDULE OF PRODUCTS

HOW TO USE INDEX

A heavy black mark is printed on the margin of the first right-hand page of each section dealing with a separate classification. By bending the book backward these marks are exposed opposite the index headings which are printed on this page. If the thumb of the right hand is placed on the mark opposite the section desired the book can be opened directly to the corresponding listing.

See following page for method of ordering.

TIN WARE
BRUSHES
BROOMS
MOPS
SOAPS

JANITORS' SUPPLIES

CLOTHING
SHOES

CLOTHING

BRICK
TILE
CEMENT BLOCKS
LIMESTONE
PAINTS

BUILDING SUPPLIES

FURNITURE
HICKORY FURNITURE

FURNITURE

MATTRESSES
PILLOWS
PILLOW CASES
BLANKETS
RUGS
DOOR MATS
FLAGS
TOWELING

INSTITUTIONAL FURNISHINGS

BASKETS
BOOK BINDING
HOG HOUSES

MISCELLANEOUS

TOBACCO

TOBACCO

INTRODUCTION AND
GENERAL INFORMATION

FOUNDRY PRODUCTS

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

METHOD OF ORDERING

All orders should be forwarded direct to the

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

It is unnecessary to secure bids on articles purchased from Indiana Institutional Industries. Send your orders direct to the Indianapolis office. They will be promptly acknowledged and referred to the Industry producing the articles required. Shipment of the articles is made direct by the Industry producing them. All prices are F. O. B. point of shipment.

SETTLEMENT OF ACCOUNTS

All settlements should be made direct with the Indianapolis office. No accounts are kept in the offices of institutions and consequently remittances should be made direct with the Indianapolis office so that no delay in settlement of account shall be had. All checks are to be made to Indiana Institutional Industries.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

INDUSTRIES OPERATED

The chief industries now operated which dispose of their products to other institutions and to political subdivisions of the State are as follows:

Indiana State Prison, Michigan City.

| | |
|--------------|------------|
| Book Bindery | Soaps |
| Rug Shop | Tobacco |
| Furniture | Signs |
| Shoes | Metal Tags |

Indiana Reformatory, Pendleton.

| | |
|------------------------|--------------------------|
| Brooms, Brushes, Mops | Clothing and Tailor Shop |
| Tin and Steel Utensils | Paints |
| Woolen Mill | Foundry Products |
| Mattress Factory | Furniture |

Indiana State Farm, Putnamville.

| | |
|--------------------|-------------------|
| Baskets | Hickory Furniture |
| Door Mats (Rubber) | Brick and Tile |

Stone Plant Products

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

**MANDATORY PURCHASE OF PRODUCTS OF INDIANA INSTITUTIONAL
INDUSTRIES**

The Act of the Legislature, Chapter 83, Acts 1917, makes it mandatory for all state institutions and all political subdivisions of the State to secure their requirements from the Indiana Institutional Industries to the extent to which they can be supplied. The law governing the purchase of these products is as follows:

CHAPTER 83, ACTS 1917

Penal Institutions—*Manufacture of State Supplies.*

SECTION 1. *Be it enacted by the general assembly of the State of Indiana, That the boards of trustees of the Indiana reformatory, the Indiana state prison, and the Indiana state farm, are hereby empowered and authorized to manufacture such articles as are used by the State, its institutions and its political divisions (State, county and township schools, etc.), and to produce such articles and products as may be found practicable. . . .*

SECTION 4. *It shall be the duty of the board of trustees of the Indiana reformatory, the Indiana state prison, and the Indiana state farm from time to time after the taking effect of this act to notify by printed catalogue or otherwise the various state institutions and the political divisions of the State of the kind of articles the said institutions produce and are prepared to furnish and the prices thereof; and when said state institutions or the political divisions of the State of Indiana are in need of such articles, the boards of trustees and the heads of such institutions, boards of county commissioners, township trustees, superintendents of county poor asylums and county sheriffs shall make requisition of the board of trustees of said Indiana reformatory, Indiana state prison and the Indiana state farm for such articles as are needed, giving the board of trustees a reasonable time to manufacture the articles so required, and shall not purchase any such articles elsewhere unless the same cannot be furnished by said Indiana reformatory, Indiana state prison or Indiana state farm. . . .*

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

SCHEDULE OF PRODUCTS
Made in
Indiana Institutional Industries




Introductory Statement

The Indiana Institutional Industries was authorized by an Act of the Legislature in 1917 (Acts 1917, Chapter 83) for the purpose of providing useful and stimulating employment to the inmates of Indiana penal institutions in such diversified forms as will reduce to a minimum competition with private industry and free labor. None of the Indiana Institutional Industries' products are now sold on the open market.

The whole objective of the Indiana Penal employment program is to provide the more promising group of men in prisons with useful employment so that when they leave the institution they will be better fitted to take their places in society than when they were received in prison. We seek to protect the public and prevent crime by improving those who have shown criminal tendencies by substituting hope for futility, industry for idleness, co-operation for sullen opposition, and rehabilitation for unproductive inaction.

The materials used in the articles manufactured in these institutions are the best that can be purchased and the workmanship is of a high standard, since every shop is in charge of a competent foreman or superintendent. Every article manufactured in Indiana penal institutions is guaranteed as to quality and workmanship and any product which is not as represented will be cheerfully replaced.


INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



CORN STICK PAN

3038 Made of cast iron, plain finished. Partitioned for eleven corn sticks.


CANCELLED



CORN STICK PAN

3039 Smaller corn stick pan, partitioned for ten small corn sticks. Made of cast iron and plain finished.

CANCELLED



CORN EAR MOLD

3040 Corn ear mold partitioned for seven sticks.

CANCELLED


INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



MANHOLE RINGS AND COVERS

| | | | |
|------|----------------------------|-------------|---------|
| 3050 | 18" Manhole Ring and Cover | Solid Cover | 117 lb. |
| 3051 | Same | Open Cover | 101 lb. |
| 3052 | Parts for above | Solid Cover | 56 lb. |
| 3053 | Same | Open Cover | 40 lb. |
| 3054 | Same | Ring | 61 lb. |
| 3055 | 20" Manhole Ring and Cover | Solid Cover | 140 lb. |
| 3056 | Same | Open Cover | 116 lb. |
| 3057 | Parts for above | Solid Cover | 73 lb. |
| 3058 | Same | Open Cover | 49 lb. |
| 3059 | Same | Ring | 67 lb. |
| 3060 | 23" Manhole Ring and Cover | Solid Cover | 253 lb. |
| 3061 | Same | Open Cover | 244 lb. |
| 3062 | Parts for above | Solid Cover | 114 lb. |
| 3063 | Same | Open Cover | 105 lb. |
| 3064 | Same | Ring | 139 lb. |
| 3065 | 24" Manhole Ring and Cover | Solid Cover | 500 lb. |
| 3066 | Same | Open Cover | 483 lb. |
| 3067 | Parts for above | Solid Cover | 167 lb. |
| 3068 | Same | Open Cover | 150 lb. |
| 3069 | Same | Ring | 333 lb. |
| 3070 | 30" Manhole Ring and Cover | | 300 lb. |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



EUREKA CURB INLETS

| | | |
|------|-------------------------------------|---------|
| 3071 | Eureka Curb Inlet Manhole and Cover | 400 lb. |
| 3072 | Solid Cover for above | 69 lb. |
| 3073 | Frame for above | 331 lb. |




EARTH TYPE INLET

3100

192 lb.


INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



CURB AND GUTTER INLET


| | | | |
|------|-------------------------------------|----------|---------|
| 3074 | 24" x 24" adjustable 6 to 10 inches | | 550 lb. |
| 3075 | Parts for above | Curb box | 196 lb. |
| 3076 | Same | Frame | 294 lb. |
| 3077 | Same | Grate | 60 lb. |
| 3078 | 23" x 22" adjustable 6 to 8 inches | | 275 lb. |
| 3079 | Parts for above | Curb box | 82 lb. |
| 3080 | Same | Frame | 112 lb. |
| 3081 | Same | Grate | 81 lb. |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



STANDARD GUTTER DRAIN

| | | | |
|------|--------------------------|-------|---------|
| 3104 | 4" Standard gutter drain | | 54 lb. |
| 3105 | Parts for above | Grate | 14 lb. |
| 3106 | Same | Frame | 40 lb. |
| 3101 | 6" Standard gutter drain | | 208 lb. |
| 3102 | Parts for above | Grate | 62 lb. |
| 3103 | Same | Frame | 146 lb. |



SQUARE INLETS

| | | | |
|------|------------------------|-------|---------|
| 3107 | 24" x 24" Square inlet | | 353 lb. |
| 3108 | Parts for above | Grate | 80 lb. |
| 3109 | Same | Frame | 273 lb. |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



FLOOR DRAIN WITH TRAP


| | | |
|------|--|--------|
| 3110 | Bell type, 9" x 9" top, 3" outlet | 14 lb. |
| 3111 | Cesspool with C. I. screen inside 12" x 12" top, 3 $\frac{7}{8}$ " outlet | 45 lb. |



BEEHIVE INLETS


| | | | |
|------|----------------|-----|---------|
| 3115 | Beehive inlets | 8" | 15 lb. |
| 3116 | Same | 10" | 19 lb. |
| 3117 | Same | 12" | 32 lb. |
| 3118 | Same | 16" | 48 lb. |
| 3119 | Same | 18" | 64 lb. |
| 3120 | Same | 20" | 80 lb. |
| 3121 | Same | 24" | 128 lb. |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



HIGHWAY V. C. INLETS

| | | | |
|------|-----------------------------------|-------------------------|---------|
| 3122 | Highway V. C. inlets for 12" tile | 14 $\frac{3}{4}$ " O.D. | 56 lb. |
| 3123 | Same | 18" 22 " | 115 lb. |
| 3124 | Same | 24" 29 " | 171 lb. |



ROUND FLAT DRAIN FOR BELL END TILE

| | | | |
|------|------------------------------------|-----|----------------------|
| 3125 | Round flat drain for bell end tile | 4" | 4 lb. |
| 3126 | Same | 6" | 6 $\frac{3}{4}$ lb. |
| 3127 | Same | 8" | 10 lb. |
| 3128 | Same | 10" | 19 lb. |
| 3129 | Same | 12" | 26 $\frac{1}{2}$ lb. |
| 3130 | Same | 15" | 45 lb. |
| 3131 | Same | 18" | 83 lb. |
| 3132 | Same | 20" | 117 lb. |
| 3133 | Same | 24" | 208 lb. |


INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



TRENCH GRATE

| | | | |
|------|-------------------|-------|---------|
| 3134 | 16" x 37" opening | | 362 lb. |
| 3135 | Parts for above | Frame | 240 lb. |
| 3136 | Same | Lid | 122 lb. |



These can be made in any size with or without frames upon request.



CISTERN RING AND TOP


| | | | |
|------|--------------------------|-------|---------|
| 3144 | Cistern ring and top 18" | | 46 lb. |
| 3145 | Parts for above | Cover | 23 lb. |
| 3146 | Same | Ring | 23 lb. |
| 3147 | Cistern ring and top 20" | | 64 lb. |
| 3148 | Parts for above | Cover | 35 lb. |
| 3149 | Same | Ring | 29 lb. |
| 3150 | Cistern ring and top 24" | | 119 lb. |
| 3151 | Parts for above | Cover | 62 lb. |
| 3152 | Same | Ring | 57 lb. |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



MADE TO ORDER ITEMS

We can furnish all kinds of repair parts for heating plants, such as stoker links for chain feed grates, shaker grate bars, grates for boilers, and grate bars. Any casting, including road castings, such as manhole rings and covers, curb and gutter inlets, trench grates, etc., of any size or design other than illustrated, may be furnished according to sample or blue print submitted.




INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

TIN WARE

Our tin ware is designed and built for institutional use. It is made of the best materials and sturdily built and reinforced to assure a minimum of wear with hard usage.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



GARBAGE CANS

Made of galvanized iron, $\frac{3}{8}$ " steel rod around top and heavy band on bottom. Heavy wired lid fits over top.



| | |
|------|---------|
| 1800 | 5 gal. |
| 1801 | 10 gal. |
| 1802 | 20 gal. |
| 1803 | 30 gal. |

| |
|----------------------|
| 22 gauge with bail |
| 22 gauge side handle |
| 18 gauge side handle |
| 18 gauge side handle |

GALVANIZED TUBS

Made of galvanized iron, with two drop handles. 24 gauge iron.

| | |
|------|-----------------------------------|
| 1804 | 25½" top — 22½" bottom — 11" deep |
| 1805 | 24 " top — 21 " bottom — 11" deep |
| 1806 | 22 " top — 19 " bottom — 11" deep |

GALVANIZED BUCKETS

Made of galvanized iron, 24 gauge, with heavy band on bottom to prevent wear.

| | |
|------|--------|
| 1807 | 8 qt. |
| 1808 | 10 qt. |
| 1809 | 12 qt. |
| 1810 | 14 qt. |
| 1811 | 16 qt. |





INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

TIN BUCKETS

Made of 4X weight tin, with heavy band on bottom to prevent wear.

| | |
|------|--------|
| 1815 | 12 qt. |
| 1816 | 14 qt. |
| 1817 | 16 qt. |

CANCELLED




WASH BASINS

| | |
|------|-------------------------|
| 1818 | Made of galvanized iron |
| 1819 | Made of tin |

CANCELLED

DISH PANS

| | |
|------|--|
| 1821 | Made of galvanized iron, 21 quart size |
| 1822 | Made of tin 21 quart size |



TIN CUPS

| | |
|------|----------------------------|
| 1823 | Made of tin, one pint size |
|------|----------------------------|

CANCELLED

SWIMMING POOL CLOTHES BASKETS


Made of galvanized iron, 26 gauge, these baskets are recommended for use in public bathing beaches and in gymnasiums.

| | |
|--------------------|-----------------------|
| 14 " x 19 " top | Weight 6 lbs. |
| 10½" x 15½" bottom | 2 runners on bottom |
| Height 8" | Ventilated on 4 sides |

| | |
|------|-----------|
| 1830 | Unpainted |
| 1831 | Painted |

CANCELLED

In lots of 500 or more, see price sheet.



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



WASTE PAPER BASKETS

Made of ribbed sheet metal. Enameled in olive green, 28 gauge.

| | |
|------|--------------------------------|
| 1832 | 14½" high, 13" top, 10" bottom |
| 1833 | 18 " high, 15" top, 12" bottom |
| 1834 | 30 " high, 15" top, 15" bottom |
| 1835 | 30 " high, 20" top, 16" bottom |



THREE CORNERED DUST PANS

1841 Made of 24 gauge galvanized iron.



COAL HODS


Made of 22 gauge galvanized iron.

| | |
|------|------------|
| 1836 | Large size |
| 1837 | Small size |

DUST PANS

Made of 24 gauge galvanized iron, painted olive green.

| | |
|------|-----------|
| 1838 | 8 inch |
| 1839 | 12 inch |
| 1840 | 10" x 15" |



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana


COFFEE POTS

1842 Made of 4X tin, malleable ears, any size.
Prices furnished on request, based on size.



BREAD PANS

1843 Made of black iron or blue steel as desired.
Built according to specifications in single pans, or in sets.
Prices are furnished on request, based on size desired.



LARD CANS

1844 Made of tin, with lid. 50 lb.
capacity.


CANCELLED

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



BAKE PANS

- 1845 Black iron bake pans can be made any size specified. Priced according to size furnished.



FOOD TRAYS

- 1846 Three compartment food trays for institutional use. Made of tin.

CANCELLED

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

BROOMS AND BRUSHES

House brooms, whisk, warehouse, and metal case brooms are all made in the broom factory. The line includes light brooms at 18 pounds to the dozen, heavy ones at 42 pounds to the dozen, and intermediate brooms. Brooms are made under expert supervision, are carried in stock, and shipment can usually be made within a few days. Special brooms are made to order.

We are submitting in the following pages, specifications covering the standard line of janitor supply brushes.

The quality of this merchandise is such that we feel it cannot be surpassed for the purpose for which it is intended.

All our brushes are hand made. This makes a product superior to machine made goods. The best raw materials are purchased at all times and the manufacture is under careful supervision.

Window brushes, street brushes, etc., requiring handles are priced without the handles. Brushes and handles should be ordered separately when they are so listed. Floor brushes are furnished with handles.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



SCHOOL HOUSE

1503 Average 28 pounds to the dozen. Velvet finish and metal lock.



WHITE QUEEN

1502 Average 27 pounds to the dozen. Velvet finish and cap with spiral run down.



PRINCESS

1504 Average 30 pounds to the dozen. Velvet finish and cap with spiral run down.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



INDIANA

1505 Average 28 pounds to the dozen. Velvet finish with metal lock.



CHAMPION

1506 Average 32 pounds to the dozen. Velvet finish with metal lock.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



WAREHOUSE BROOMS

- 1507 All corn, three sewed with wire band. 32 pounds to the dozen. Lacquered hard wood handle.
- 1508 Corn outside, bamboo center. 32 pounds to the dozen. Three sewed and wire band. Lacquered hard wood handle.
- 1509 All corn, three sewed and wire band. 36 pounds to the dozen. Lacquered hard wood handle.
- 1510 Bamboo center, corn outside. 36 pounds to the dozen. Lacquered hard wood handle. Three sewed and wire band.

METAL CASE BROOMS

These brooms are the very best for factory use and for all heavy service. Metal case at top. Its economy is readily demonstrated by use. All metal case brooms have plain beech handles.

- 1511 All corn, 42 pounds to the dozen, two sewed.
- 1512 Bamboo center, corn and bamboo mixed. 42 pounds to the dozen, two sewed.
- 1513 All bamboo, 42 pounds to the dozen, two sewed.



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

WHISK BROOMS

- 1515 Whisk broom — Plush Cap
- 1516 Whisk broom — Metal Ring
- 1517 Whisk broom — Metal Ring



TOY BROOMS

Toy brooms are full sewed, trimmed 9 inches from handle and have 21 inch red painted wood handle.

- | | |
|------|-----------|
| 1519 | Toy Broom |
| 1520 | Toy Broom |
| 1521 | Toy Broom |


INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

FLOOR PUSH BRUSHES

We use high grade imported bristle, fibers and horse hair in our brushes. Our floor brushes are pitch set, each tuft wrapped with silk thread and dipped in hot pitch before insertion.

The greatest care is used in the manufacture of these brushes to give the best of service.

It is recommended that the heads be reversed frequently on the handle and that the brush be hung on a hanger when not in use. By doing this, the brushes will hold their proper shape longer.



Manufactured of best grade all bristle, and pitch set in hard wood block $2\frac{5}{8}$ " wide. Recommended for sweeping light dust on polished wood floors. Brushes are furnished with six foot handles. List price includes brush and handle.

| | | | | | | | | |
|------|----------|-----|------|----------|-----|------|---------|-----|
| 1551 | 3½" trim | 12" | 1560 | 3¾" trim | 12" | 1570 | 4" trim | 12" |
| 1552 | Same | 14" | 1561 | Same | 14" | 1571 | Same | 14" |
| 1553 | Same | 16" | 1562 | Same | 16" | 1572 | Same | 16" |
| 1554 | Same | 18" | 1563 | Same | 18" | 1573 | Same | 18" |
| 1555 | Same | 24" | 1564 | Same | 24" | 1574 | Same | 24" |
| 1556 | Same | 30" | 1565 | Same | 30" | 1575 | Same | 30" |
| 1557 | Same | 36" | 1566 | Same | 36" | 1576 | Same | 36" |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana




Manufactured of best grade all bristle and stiff grey horse hair. Trimmed $3\frac{1}{2}$ " from block. Pitch set in hardwood block $2\frac{5}{8}$ " wide. Recommended for sweeping wood floors. Brushes are furnished with six foot handles. List price includes brush and handle.

| | |
|------|-----|
| 1580 | 12" |
| 1581 | 14" |
| 1582 | 16" |
| 1583 | 18" |
| 1584 | 24" |
| 1585 | 30" |
| 1586 | 36" |

CANCELLED


CANCELLED



Manufactured of mixed bristle, horse hair and fiber. Pitch set in hardwood block which is $2\frac{5}{8}$ " wide. Trimmed $3\frac{1}{2}$ " from block. Recommended for sweeping pavements, cement or wood floors. Six foot handles are furnished with brushes and list price includes brush and handle.

| | |
|------|-----|
| 1590 | 12" |
| 1591 | 14" |
| 1592 | 16" |
| 1593 | 18" |
| 1594 | 24" |
| 1595 | 30" |
| 1596 | 36" |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



Manufactured of black horse hair, stapled in hardwood blocks. Trimmed 3 inches from block which is $2\frac{5}{8}$ " wide. Recommended for sweeping wood floors. Six foot handles are included in list price for brush.


| | |
|------|-----|
| 1600 | 12" |
| 1601 | 14" |
| 1602 | 16" |
| 1603 | 18" |
| 1604 | 24" |
| 1605 | 30" |
| 1606 | 36" |



Manufactured of black Manchurian horse hair and black patent fiber. Trimmed 3 inches from hardwood block which is $2\frac{5}{8}$ " wide. Recommended for sweeping cement and wood floors. Six foot handles are included in list price for brush.


| | |
|------|-----|
| 1610 | 12" |
| 1611 | 14" |
| 1612 | 16" |
| 1613 | 18" |
| 1614 | 24" |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



Manufactured of high grade all black fiber. Stapled in hardwood block $2\frac{3}{8}$ " wide. Trimmed 3 inches from block. Six foot handles are included in list price for brush.


| | |
|------|-----|
| 1620 | 12" |
| 1621 | 14" |
| 1622 | 16" |
| 1623 | 18" |
| 1624 | 24" |
| 1625 | 30" |



Manufactured of Black Manchurian Horse Hair, red Tampico, and Bassine. Stapled in $2\frac{5}{8}$ " wood block. Trimmed $3\frac{1}{2}$ " from block. Six foot handles are included in list price of brush.

| | |
|------|-----|
| 1630 | 14" |
| 1631 | 16" |
| 1632 | 18" |
| 1633 | 24" |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



Manufactured of Tampico and Bassine fiber. Stapled in hardwood block which is $2\frac{5}{8}$ " wide and 1" thick. Trimmed $3\frac{1}{4}$ " from block. Recommended for cement floors. Six foot handles are furnished and are included in list price of brush.

| | |
|------|-----|
| 1640 | 14" |
| 1641 | 16" |
| 1642 | 18" |
| 1643 | 24" |




Manufactured of all black Bassine. Stapled in hardwood floorbrush head which is $2\frac{5}{8}$ " wide and 1" thick. Six foot handles are included in the list price of brush.


| | |
|------|-----|
| 1644 | 18" |
| 1645 | 24" |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

HAND SCRUB BRUSHES




- 1650 "A" grade Palmetto fiber. Has flared ends. Natural wood block $2\frac{1}{2}$ " wide and $\frac{3}{4}$ " thick. $5\frac{3}{4}$ " long.
- 1651 "A" grade Palmetto fiber, natural wood block 2 3-16" wide and $\frac{3}{4}$ " thick. 8" long. Trimmed $1\frac{1}{4}$ ".
- 1652 "A" grade Palmetto fiber, natural wood block, $2\frac{5}{8}$ " wide and $\frac{3}{4}$ " thick. Trimmed $1\frac{1}{4}$ ". 10" long.



- 1653 White Tampico. 6" long.
- 1654 White Tampico. 8" long.

WALL BRUSH

- 1656 Stiff horse hair, plain wood block. Round brush, 12" x 8", trimmed $3\frac{1}{4}$ " from block. Handle 6 feet long included in list price. Recommended for cleaning walls and wall paper.



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



WINDOW BRUSHES

1657


Stiff grey horse hair, plain wood block 2" wide and 8" long. Trimmed 3½". Six foot handle included in list price.



1658


Stiff grey horse hair, plain wood block 2½" wide and 10" long. Trimmed 4" with leather guard on each end. Six foot handle included in list price.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



TOILET BRUSHES

- 1659 Palmetto "A" grade with wings to clean under cuspidor rim. Recommended for toilets and cuspidors.
- 1660 Palmetto "A" grade sanded handle, 21" overall.



DECK SCRUB BRUSHES



- 1661 Jumbo size, Palmetto fiber, natural polished block $3\frac{1}{8}$ " wide and 1" thick. Trimmed $1\frac{5}{8}$ " 14" long. Handles are included in price.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



- 1662 Palmetto fiber natural polished block $2\frac{3}{4}$ " wide and 1" thick. Trimmed $1\frac{5}{8}$ " from block. 10" long. Handles are included in price.

MILK CAN BRUSHES



- 1664 Palmetto fiber set in solid wood block. $2\frac{5}{8}$ " x $6\frac{3}{4}$ ".

CANCELLED


- 1663 Palmetto fiber stapled in wood block. Trimmed 2". Handles 30" long included in list price.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



SINK OR POT BRUSHES


- 1665 Palmetto "A" grade stapled in plain wood block. Block 3" wide and $1\frac{3}{4}$ " thick. Trimmed 1". Block and handle are in one piece $8\frac{1}{2}$ " long.
- 1666 Same brush with 15" handle.



COUNTER BRUSHES


- 1668 Black Manchurian horse hair, set in wood block, trimmed $3\frac{1}{2}$ ". 14" long.
- 1669 Black Manchurian horse hair and black fiber. Plain wood block. Trimmed $3\frac{1}{2}$ ". 14" long.
- 1670 Black China bristle, horse hair and fiber, plain wood block. Trimmed $3\frac{1}{2}$ ". 14" long.

CANCELLED




VEGETABLE BRUSH

- 1671 White Tampico fiber set in natural wood block $1\frac{1}{2}$ " wide and $\frac{3}{4}$ " thick. Trimmed 1". 5" overall.




- 1672 Same as above with handle 7" overall.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



RADIATOR BRUSH

- 1673 Stiff grey horse hair and black high-grade fiber. Trimmed $2\frac{3}{4}$ " from plain wood block. 22" overall.




CURRY BRUSH

- 1674 Black fiber stapled in plain wood block 1" thick.


WHITE WASH BRUSH

- 1675 Black Manchurian horse hair, plain wood block $3\frac{1}{2}$ " wide and $1\frac{1}{4}$ " thick. Steel band. Trimmed $2\frac{3}{4}$ ". 8" long.



- 1676 White Tampico, plain wood block, $3\frac{1}{2}$ " wide and $1\frac{1}{4}$ " thick. Steel band. Trimmed $3\frac{1}{2}$ ". 8" wide.
- 1677 Horse hair, bristle and fiber. Plain wood block, $3\frac{1}{2}$ " wide and $1\frac{1}{8}$ " thick. Trimmed $3\frac{3}{8}$ ". Steel band. Recommended for highway use. 8" wide.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana




STREET BROOMS

| | |
|------|-----|
| 1680 | 14" |
| 1681 | 16" |
| 1682 | 20" |
| 1683 | 24" |


Manufactured of Black Bassine fiber, set in plain sanded block which is $3\frac{5}{8}$ " wide and $1\frac{3}{8}$ " thick. Recommended for sweeping pavements and barns. Trimmed 6 inches from block. Packed in cartons for shipment. Handles are \$1.00 per dozen extra. Please order separately.

| | |
|------|-----|
| 1684 | 14" |
| 1685 | 16" |
| 1686 | 20" |




Manufactured of Red Bassine fiber and set in plain sanded block which is $3\frac{5}{8}$ " wide and $1\frac{3}{8}$ " thick. Trimmed 6 inches from block. Recommended for sweeping pavements and barns. Packed in cartons for shipment. Handles are \$1.00 per dozen extra. Please order separately.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



Manufactured of Palm fiber and Tuffiber, and set in plain sanded block. Another block is wired on top. Brush is trimmed 6 inches from block. Block measures $3\frac{5}{8}$ " wide and $1\frac{7}{8}$ " thick. Packed in cartons for shipment. Handles are \$1.00 per dozen extra. Please order separately.

| | |
|------|-----|
| 1687 | 14" |
| 1688 | 16" |
| 1689 | 20" |




1690 14" head with flat wire 4 row, trimmed $6\frac{1}{4}$ " from block.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

**STREET BROOM HANDLES
AND HOLDERS**

1691 Handles for all street brooms.



1692 Adjustable cast iron holder for street broom handle.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

MOPS, MOP HEADS AND DUSTERS

All of our mop heads, dusters and mops are hand made under close supervision and will be found to be of good quality. We use a good grade of mop yarn in a large assortment of sizes to meet your needs.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

MOPS, MOP HEADS AND DUSTERS



MOP HEADS

We recommend hard twine mops for general mopping. They will outwear soft cotton.

| | | | | | |
|------|-------------------|--------|------|------|--------|
| 1700 | 4 ply soft cotton | 12 oz. | 1704 | Same | 20 oz. |
| 1701 | Same | 14 oz. | 1705 | Same | 24 oz. |
| 1702 | Same | 16 oz. | 1706 | Same | 30 oz. |
| 1703 | Same | 18 oz. | 1707 | Same | 32 oz. |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



| | | |
|------|-------------------|--------|
| 1710 | 13 ply hard twine | 12 oz. |
| 1711 | Same | 14 oz. |
| 1712 | Same | 16 oz. |
| 1713 | Same | 18 oz. |

| | | |
|------|------|--------|
| 1714 | Same | 20 oz. |
| 1715 | Same | 24 oz. |
| 1716 | Same | 30 oz. |
| 1717 | Same | 32 oz. |

MOPS

| | |
|------|-------------------|
| 1720 | 4 ply soft cotton |
| 1721 | Same |
| 1722 | Same |
| 1723 | Same |
| 1724 | Same |
| 1725 | Same |
| 1726 | Same |
| 1727 | Same |
| 1728 | Same |

| |
|--------|
| No. 12 |
| No. 14 |
| No. 16 |
| No. 18 |
| No. 20 |
| No. 24 |
| No. 30 |
| No. 32 |
| No. 36 |




INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana




| | | | | | |
|------|-------------------|--------|------|--------|--------|
| 1735 | 13 ply hard twine | No. 12 | 1739 | Same | No. 20 |
| 1736 | Same | No. 14 | 1740 | Same | No. 24 |
| 1737 | Same | No. 16 | 1741 | Same | No. 30 |
| 1738 | Same | No. 18 | 1742 | Same | No. 32 |
| | | 1743 | Same | No. 36 | |


- 1750 Mop Head Clamps
Large size screw type.
- 1752 Same
Small size screw type.



- 1753 Same
New style spring type.




INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana




| | | | |
|------|---------------|-----|--------|
| 1755 | Oil Mop Heads | 14" | 12 oz. |
| 1756 | Same | 24" | 20 oz. |
| 1757 | Same | 36" | 30 oz. |
| 1758 | Same | 48" | 40 oz. |


These heads to fit holders No. 1760, 1761, 1762, and 1763.



| | | |
|------|---------------------------|------------------|
| 1760 | Oil Mop Handles & Holders | 12" for 14" Head |
| 1761 | Same | 22" for 24" Head |
| 1762 | Same | 34" for 36" Head |
| 1763 | Same | 46" for 48" Head |



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



1765 Mitten Dusters, high grade hard twine.



1766 Dish mops, hard twine with 10" handles.

1767 Mop for wireholder—triangular (head only furnished) 8 oz. each. (Similar to rubon style.)

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

SOAP DEPARTMENT

Soaps, Sanitary Chemicals and Allied Products

The soaps, sanitary chemicals and allied products listed in the following pages are manufactured by the modern and completely equipped soap factory, under the supervision of a skilled and experienced chemist.


They are manufactured of the finest raw materials obtainable, and, having been completely tested in our laboratories, before shipment, are guaranteed to reliably perform the purpose for which they are made.

In a few instances, our prices are slightly higher than those of competitors. You profit from this slight increase in that the high quality of these products permits your using a much smaller amount to obtain equal, or better, results. Quality is our chief aim and your gain.

A trial will convince you of the merit of these products. If you are not now acquainted with them, send for samples; they will be cheerfully sent you.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

SOAP



BATH SOAP

200

This is a good quality, floating bath soap. It contains no impurities, no filler and no free lye. It is recommended for the bath and for the laundering of fine articles by hand. It is made in 6 ounce bars and is packed 100 bars to the case. This is an excellent product and is highly recommended for individual use, as well as for institutions.



GERMO TOILET SOAP

201

This is a splendid product and contains a germicidal ingredient contained in the best germicidal soaps. Unexcelled for the bath. Made in bars of 3 ounces and packed 100 bars to the case.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



OLVANA WHITE SOAP

- 202 This is a fine grade French milled toilet soap comparable in quality to any soap on the market. It contains no filler of any kind and no free lye. It is highly recommended for any toilet soap use. The white bar has a satin like sheen. It is made in bars of $3\frac{1}{2}$ ounces each and packed 100 bars to the case.



OLVANA GREEN SOAP

- 203 This is a regular green French milled toilet soap. It contains no impurities of any kind, no filler and no free lye. It is entirely satisfactory for any toilet soap use. It is made in bars of $3\frac{1}{2}$ ounces each and packed 100 bars to the case.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



COCO CASTELE SOAP

- 204 A high grade, free lathering soap. It is made almost entirely of pure coconut oil, Cochin grade, and other materials are of the very best grade. This is a very superior product and is 100% pure. It is made in four ounce bars and packed 100 bars to the case. This soap is unexcelled for use in hard water.

CASTELE BAR SHAMPOO

- 205 Same as above except the bars are 6" x 10" x 2¼" and are packed 8 bars to the case.



TAR SOAP

- 206 This is a high grade tar soap. It is used chiefly for shampoos and the bath. It is made in 3 ounce bars and is packed 100 bars to the case.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



BARBER SOAP

- 207 This barber soap is favorably compared with the best on the market. It is made in round bars of 3 ounces each, packed as ordered by customer. This soap makes a heavy, lasting creamy lather.

LIQUID HAND SOAP

This liquid hand soap has a 100% Cochin grade coconut oil base. It will not solidify under normal conditions. This is an ideal soap for schoolrooms, public buildings, and institutions, where a liquid soap is preferred. This is an excellent product and is highly recommended. It comes in three strengths—15, 20, and 40% soap and is packaged in one and five gallon cans and in 30 and 50 gallon drums.

| | | |
|-----|------|--------------|
| 208 | 15% | 1 gallon can |
| | Same | 5 " " |
| | Same | 30 " drum |
| | Same | 50 " " |
| 209 | 20% | 1 gallon can |
| | Same | 5 " " |
| | Same | 30 " drum |
| | Same | 50 " " |
| 210 | 40% | 1 gallon can |
| | Same | 5 " " |
| | Same | 30 " drum |
| | Same | 50 " " |

LIQUID SHAMPOO

- 215 This liquid shampoo is a very excellent product. It is used in many institutions and is very highly recommended. It is made of the very best materials, with a Cochin grade coconut oil base. It will not solidify under normal conditions. It is supplied in one and five gallon cans and in 50 gallon drums.

1 gallon can
5 gallon can
50 gallon drum




INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



LAUNDRY SOAP

230

This fine bar soap will be found efficient and economical for general kitchen and laundry use and in hand laundries. It contains no rosin or liquid glass and will not shrink any garment that would not be affected by plain hot water. It is made from a special formula designed for laundry use. Less of this soap is required than any other bar soap. It is made in 8 ounce bars and packed 100 bars to the case.



**WASHING SOAP
POWDER**

231

This powder is a combination of soap and water softener, crystallized together. Recommended for scrubbing, washing windows, dish washing, and for laundry use in washing heavy garments, such as overalls, etc. It is packed in 9 ounce boxes, 50 boxes to the case. Also packed in barrels of approximately 250 pounds.

INDIANA INSTITUTIONAL INDUSTRIES

141 South Meridian Street

Indianapolis, Indiana

SOFT WATER CRYSTALS

- 232 These light, fluffy, free-flowing crystals contain an ideal chemical balance for safe and efficient cleaning, dissolving almost instantly in hot or cold water. They are a splendid water softener and assure a clean and sanitary surface wherever used. They will not harden in the barrel because they are produced by a special method which eliminates the formation of hard lumps. An exacting supervision of all raw materials and a close chemical control of all processes in the production of these crystals assures a sustained uniformity and a fixed quality that is unsurpassed. Shipped in 100 and 300 pound metal drums and 35 pound pails.

POWDERED SOAP

- 233 This powdered soap is prepared for use in steam laundries where direct feed to the wheel is desired. This is 92% soap. Shipped in barrels of 175 pounds.

SOAP CHIPS

- 234 These soap chips are made from the highest grade of tallow and are recommended for use in boiling water and steam laundries. These chips are thin and have splendid sudsing qualities. They are excellent for washing dishes as well as cleaning marble and composition walls and a smaller quantity is required than of any other soap. 25 to 30 pounds of soap chips to 100 gallons of water are recommended for laundry work. Packed in bags containing 100 pounds and barrels containing 150 pounds.

INDIANA CLEANERS & CLEANSER

- 235 This product is completely soluble in hot or cold water, it is harmless to the hands, and it acts as a disinfectant by helping to destroy and remove bacteria. Because of its activity as a wetting agent, it has the power to emulsify so that the dirt, grease and oil, after being removed, are suspended in the solution and eventually wash away. One half teaspoonful to the maximum of one half cupful of water is the desired concentration. Dairies and creameries will find this product will prove exceptionally satisfactory for the cleansing of milk cans, separators, pasteurizers, and other equipment.

For Cleaning Floors:—Add from a half to one cupful to a pail of lukewarm water. If desired, a half a cupful of powdered or chip soap may be added.

For Painted walls or ceiling:—Can be cleaned without removal or injury to the surface, by using one half cupful of the cleaner in a bucket of lukewarm water. Dip a cloth in the solution, wring out fairly dry, and rub gently over the surface. Follow with another cloth wrung out in clean water. Packed in 100 pound metal containers, 280 pound wooden barrels and 35 pound pails.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



SCOURING POWDER


250

This powder is especially recommended for the cleaning of cooking utensils, tile floors and other purposes where a good abrasive is needed. It is supplied in 14 ounce shaker-top cans, packed 72 cans to the case. Also packed in barrels of approximately 250 pounds. This is a splendid cleansing agent and will not scratch.

SPECIAL WINDOW CLEANER

251

This is a powerful cleanser, highly recommended for use on windows, porcelain, glass and enamel. Sold in one pound shaker-top cans. Packed 72 cans to the case.



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

SWEEPING COMPOUND

- 252 This compound is made with a mineral oil lubricant, with clean, sharp, fine sand, hardwood sawdust and refined paraffin oil. It has a very small moisture content, is non-inflammable, with cedar wood oil odor. Can be used on wood, linoleum, stone or cement floors. Shipped in 100 and 200 pound metal containers.

CEDARGLO FURNITURE POLISH

- 253 This furniture polish will not harm the finest finish. It is designed for general use where hard rubbing is not desired. It is made of the finest materials and leaves a high lustre. Supplied in bottles of one pint each and in one and five gallon cans.

FLOOR OIL

- 254 A high grade floor oil with a refined mineral oil base. Unexcelled for use on school room floors and for all public buildings. Supplied in one and five gallon cans and in 30 and 50 gallon drums.

FLY SPRAY

- 255 This is a superior product, Grade AA. It is harmless to human beings when used as directed, and is guaranteed to kill flies and all flying insects. It is non-inflammable, and has a pleasant odor. We highly recommend it for use in any institution. Supplied in one and five gallon cans and 30 and 50 gallon steel drums.

PINE OIL CATTLE SPRAY

- 256 This live stock spray is as good as any product on the market for the purpose. It has a pine oil base and will give hot weather comfort to all animals. It serves a dual purpose: it kills flies and also acts as a fly repellant. Supplied in five gallon cans and in 30 and 50 gallon drums.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

ROACH AND BUG KILLER

- 257 Get rid of those bugs and roaches! Our bug and roach killer is sure death to all hard shelled insects that infest public buildings and institutions. Spray it in places where these pests thrive. Supplied in one and five gallon cans and in 30 and 50 gallon drums.

LIQUID OIL SCRUB SOAP
(15% Soap)

- 258 This is a high grade syrupy liquid scrub soap with sassafras odor. It is recommended highly for scrubbing wood, tile, terrazzo, concrete and linoleum floors. Supplied in one and five gallon cans and in 30 and 50 gallon drums.

SEMI-SOLID VEGETABLE OIL SCRUB SOAP
(65% Soap)

- 259 This is a high grade 65% semi-solid soap. Highly recommended for use in cleaning all kinds of floors. It is supplied in 45 pound pails and also in 200 and 400 pound containers.

PINE OIL LIQUID SCRUB SOAP
(15% Soap)

- 260 This is a high grade syrupy liquid pine oil soap, recommended for use in scrubbing tile, wood, terrazzo, and concrete floors. It is supplied in one and five gallon cans and in 30 and 50 gallon drums.

VEGETABLE OIL AUTO SOAP
(42% Soap)

- 261 This is a 42% potash soap made especially for washing automobiles and is free of alkali. It will leave no streaks, spots or gray scum, but will give a clear bright surface. This is supplied in 45 pound pails and 200 and 400 pound drums.

INDIANA ALUMINUM CLEANER

- 262 This is an excellent cleanser for cooking utensils. It contains a reserve alkalinity, and should be used in the proportion of one ounce to one gallon of water. Supplied in 40 lb. pails, 100 lb. metal containers and 350 lb. wooden barrels.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

PINE OIL DISINFECTANT

- 269 This splendid disinfectant has a pine oil base and is recommended for general disinfectant purposes. It is supplied in one and five gallon cans and 30 and 50 gallon drums. This product has a predicted phenol coefficient of plus 5.


INDIANA DETERGENT

- 270 This product is carefully compounded from several ingredients. Each ingredient used by itself has a definite detergent value and the combination of the ingredient gives a finished product of superior detergent value. Indiana detergent may be used where a mild scouring detergent is required such as the scouring of pots and pans, the cleansing of cement floors and allied needs. It is a product that may be used without the addition of soap, and its combination of ingredients acts as a water softener and wetting agent. Supplied in 35 pound pails, 100 pound metal containers and 280 pound wooden barrels.

CREOSOL DISINFECTANT

- 271 This is a good all around coal tar product, for use in toilets, scrubbing water, and for general purposes where a good disinfectant is required. Supplied in one and five gallon cans and in 30 and 50 gallon drums.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



DEODORANT BLOCKS

These perfumed deodorant blocks are indispensable for maintaining wholesome air conditions and helping to overcome foul, stagnant odors, which exist in all washrooms, restrooms, urinals, etc.

272 These blocks have an attractive lilac odor and are highly recommended. They are individually wrapped in cellophane and are packed in 12 blocks to the case.


273 Same blocks, made with cedar odor and uncolored. Size: $2\frac{1}{2}$ " x 2" x 7". Weight: 24 ounces. Packed six blocks to set. One metal wall container free with each set. Additional containers .20 each.

PERFUMED DEODORIZING CRYSTALS

274 A clean convenient deodorant and air purifier. For use where liquid sprays are not practical. May be safely sprinkled on fabrics, rugs and around places where foul odors may exist or arise. Also can be used in vacuum cleaners for preventing moths in carpets and furniture. These crystals are a scientific product, with a pleasant lilac odor, which makes them ideal for neutralizing all odors in washrooms, hallways, etc. Packed in one pound shaker-top cans.

LIQUID SOAP DISPENSER

275 Tilting type, beautifully designed; no metal parts, creases or projections to accumulate soil and become unsightly; all metal parts are chrome plated. No gaskets, washers or springs to wear out. Dispenses a predetermined quantity of liquid soap. Cannot clog or leak. Holds two-thirds of a pint of liquid when completely full.




INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

CLOTHING

The Tailor Shop is equipped throughout with modern machinery and equipment which enables us to manufacture clothing that will meet exacting requirements. All of the work in the tailor shop is carefully supervised and examined by trained tailors and garment-makers.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

BIB STYLE APRONS




2000 Made of 2.50 weight hickory cloth. Length 40 inches, width 36 inches. Fastened with ties. Pockets as desired.

2001 Length 44 inches, width 36 inches. Hickory cloth.

2002 Made of 8 ounce white duck. Special pockets as required. Ties fastened to apron through reversible eyelets. Suitable for storekeepers, waiters, nurses, etc. Length 36 inches, width 36 inches. Can be furnished longer if desired.

2003 Made of 2.20 weight blue denim. Special pockets as desired. Length 40 inches, width 28 inches. Suitable for shop workers, carpenters, kitchen workers, etc.

2004 Made of brown duck, suitable for machinists, blacksmiths, garagemen, etc. Pockets as desired. Length 40 inches, width 28 inches.



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



WAIST BAND APRONS

- 2005 Made of hickory cloth, 2.50 weight. Pockets as desired. Fastened with ties. Length 40 inches, width 30 inches.
- 2006 Same apron, 44 inches long; 36 inches wide.
- 2007 Made of 8 ounce white duck. Special pockets as desired. Ties fastened to apron with reversible eyelets. Length 36 inches, width 36 inches. Suitable for storekeepers, waiters, nurses, etc.
- 2008 Made of 8 ounce white duck. Length 44 inches, 36 inches width.
- 2009 Made of 2.20 weight blue denim. Special pockets as desired. Length 40 inches, width 28 inches. Can be made longer if desired. Suitable for shop workers, carpenters, kitchen workers, etc.

- 2010 Made of brown duck, 8 ounce. Pockets furnished as desired. Suitable for machinists, blacksmiths, garagemen, etc. Length 40 inches, width 28 inches.

NOTE: We are in a position to manufacture any kind or style of apron. Prices will be quoted on special aprons on receipt of sample and specifications.

LINED COATS

MEN'S MOLESKIN COATS

- 2015 Coats made of moleskin and lined with blanket cloth. This is an excellent coat. Has a corduroy collar.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



MEN'S SLICKER LINED DUCK COATS

2016

Men's coats made of mode duck with blanket lining, and oiled slicker lining. A very heavy, general purpose coat. Has a corduroy collar and steel finish buttons.

MEN'S SPORT JACKETS

2017

Made of heavy moleskin, with blanket lining and corduroy collar. Full cut, well made, a good general utility coat.



MEN'S WOOLEN SPORTS JACKETS

2018

Men's sport jackets made of woolen suitings in assorted patterns. With blanket lining.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



MEN'S BLUE DENIM COATS—LINED

- 2019 Men's coats made of sanforized blue denim and blanket lined. Corduroy collar, steel finish buttons, and nickel fasteners.

UNLINED COATS

MEN'S WHITE DUCK COATS

- 2020 Made of 8 ounce pre-shrunk white duck. Lapel style, white composition buttons and nickel plated fasteners. Pockets embroidered to order. Unlined.



MEN'S SPORT JACKETS

- 2021 Made of grey covert cloth, sanforized. With black buttons and side buckles. Unlined.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



MEN'S BLUE DENIM PLAIN JACKETS

2022 Made of sanforized blue denim with steel finish buttons. Unlined.

MEN'S PINCHECK JACKETS

2023 Men's jackets made of sanforized pin-check. With steel finish buttons and nickel fasteners. Unlined.

MEN'S JANITOR COATS

2024 Made of grey covert cloth, sanforized, with white composition buttons and nickel fasteners. Cossack style.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



MEN'S BIB OVERALLS

- | | |
|------|---|
| 2030 | Made of sanforized pincheck No. 6 with steel finish buttons and nickel fasteners. Triple stitched, full cut, well made. |
| 2031 | Made of 2.50 weight best grade white drill. Triple stitched, full cut, well made. Recommended for painters and paper hangers. |
| 2032 | Made of 2.20 weight best grade sanforized blue denim. Triple stitched, full cut, well made. |
-
- | | |
|------|---|
| 2033 | Men's highback bib overalls made of sanforized pincheck, with steel finish buttons and nickel fasteners. Triple stitched, full cut and well made. Sizes to 42. Sizes over 42. |
| 2034 | Men's highback bib overalls, made of best grade sanforized blue denim, 2.20 weight. Triple stitched, well made, full cut. Sizes to 42. Sizes over 42. |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



MEN'S OVERALLS

2035 Men's plain band overalls made of 2.20 weight sanforized blue denim. With steel finish buttons and nickel fasteners. Triple stitched, well made and full cut.

2036 Men's plain band overalls made of sanforized pin-check, with steel finish buttons and nickel fasteners. Triple stitched, full cut, and well made.

2037 Men's coveralls of 2.50 weight hickory cloth. Made with steel finish buttons and nickel fasteners.

2038 Men's coveralls made of sanforized blue denim, full cut and well made. Triple stitched. With steel finish buttons and nickel fasteners.

2039 Men's coverall made of covert cloth. Triple stitched, full cut and well made. Steel finish buttons and nickel fasteners.



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

BOYS' OVERALLS

- 2050 Plain band made of 2.20 weight blue denim. Blue steel buttons. Two pockets. Sizes 2 to 8. Sizes 9 to 11. Sizes 12 to 16.
- 2051 Boys' Bib Overalls made of 2.20 weight blue denim. With nickel fasteners and steel finish buttons. Sizes 2 to 8. Sizes 9 to 11. Sizes 12 to 16.
- 2052 Boys' High Back Overalls made of blue denim. Steel buttons. Sizes 2 to 8. Sizes 9 to 11. Sizes 12 to 16.



CHILDREN'S COVERALLS

- | | |
|---|--|
| 2053 Made of blue covert cloth, sanforized. With blue steel buttons. Two breast and two lower pockets. Sizes 3 to 8. Sizes 9 to 12. Sizes 13 to 16. | 2054 Made of 2.50 weight hickory cloth. Blue steel buttons. Two breast and two lower pockets. Sizes 3 to 8. Sizes 9 to 12. Sizes 13 to 16. |
|---|--|

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

MEN'S AND BOYS' PANTS




2061 Made of heavy weight moleskin, with one hip and two front pockets. In all sizes.



MEN'S MOLESKIN PANTS

2060 Made of light weight moleskin, with one hip and two front pockets. In all sizes.



MEN'S GREY COVERT PANTS

2062 Made of grey covert cloth, full cut and well made. With one hip and two front pockets. In all sizes.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



MEN'S CORDUROY PANTS

- 2063 Men's corduroy pants in blue and drab. Made with one hip and two front pockets. In all men's sizes.

MEN'S DRESS PANTS

- 2064 Made of high grade woolens in an assortment of patterns. Mixed colors with blue, grey and brown predominating. Made with one hip and two front pockets.

MEN'S PINCHECK PANTS

- 2065 Made of shrunk pincheck. Made with one hip and two front pockets. In all men's sizes.

MEN'S WHITE DUCK PANTS

- 2066 Made of 8 ounce pre-shrunk white duck with drill pockets. One hip and two front pockets.

BOYS' COVERT PANTS

- 2070 Boys' pants made of grey covert cloth. In all boys' sizes.

BOYS' PINCHECK PANTS

- 2071 Boys' pants made of sanforized pincheck. In all boys' sizes.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

CORDUROY CAPS



2080 Lined, well made, high grade corduroy caps.
With durable visor in all sizes.

WORK CAPS



Made of blue denim or pincheck. Washable with
visor. Splendid work caps.

2081 Denim.

2082 Pincheck.

GLOVES



2083 Striped canton flannel gloves. Made of 8 ounce, best grade canton
flannel.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

MEN'S SHIRTS

2100

Men's dress shirts made of white broadcloth. These shirts are full cut and well made and are trimmed with pearl buttons.



2101

Regulation shirt made of 2.90 weight blue chambray. In all men's sizes. These shirts are full cut and well made.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



2102

Regulation shirt made of grey covert cloth, sanforized. These shirts are full cut and well made.

2103

Regulation shirts made of 2.90 weight grey chambray. These shirts are full cut and well made, and trimmed with blue steel buttons.



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

BOYS' SHIRTS

- 2110 Boys' white broadcloth dress shirts made of good grade cloth and trimmed with pearl buttons. Sizes to 13½.
- 2111 Boys' shirts made of grey chambray, 2.90 weight. These shirts are full cut and well made and are trimmed with blue steel buttons. Sizes to 13½.
- 2112 Boys' shirts made of 2.90 weight blue chambray and with blue steel buttons. Full cut and well made. Sizes to 13½.
- 2113 Boys' shirts made of grey covert cloth with blue steel buttons. Full cut and well made. Sizes to 13½.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



INMATES' HICKORY SHIRTS

2104 Made of 2.50 weight hickory cloth.



2105 Same shirts of 3.50 weight hickory cloth. With band collar only.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana




MEN'S OVERCOATS

2129

Men's overcoats in high grade woolens in a variety of patterns. Mixed colors with blue, grey and brown.

PATIENTS' GOWNS



2140

Made of unbleached muslin. For use of patients in hospitals. Opened down the back and fastened with ties.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

MEN'S SUITS AND OVERCOATS



MEN'S TWO-PIECE SUITS

2125 Men's two-piece suits made of high grade woolens in an assortment of mixed patterns. Mixed colors in various shades of brown, blue and grey. Light and dark patterns. Single breasted.

2126 Same as above but double breasted.

MEN'S THREE-PIECE SUITS

2127 Men's three-piece suits made of high grade woolens in an assortment of mixed patterns. Mixed colors in various shades of blue, grey and brown. Light and dark patterns. Single breasted.

2128 Same as above but double breasted.



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

SURGEONS' GOWNS




- 2141 Made of eight ounce, sanforized white duck, to order. Opened down the back and fastened with ties.
2142 Same gown but made of white twill, to order.

LABORATORY GOWNS

Gowns made of eight ounce white duck. Opened down the back and fastened with ties. Recommended for laboratory use.

- 2143 Medium or $\frac{3}{4}$ length.
2144 Full length.



UNDERWEAR

Drawers and shirts, made of unbleached canton flannel. For institutional use. Small, medium and large sizes.

- 2145 Drawers.
2146 Shirts.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

UNIFORMS

NURSES' WHITE UNIFORMS

- 2150 Made of bleached twill. Slipover style with either round or "V" neck. Pockets embroidered to order. Belted with one button on belt.

MAIDS' GREEN UNIFORMS

- 2153 These uniforms are made of good quality green chambray. Slipover style in either round or "V" neck. Belted. One button on belt. Well made, full cut. In all sizes. This is a good, serviceable, washable uniform and highly recommended for general wear.

MAIDS' BLUE UNIFORMS

- 2154 These uniforms are made of good quality blue chambray. Slipover style with either round or "V" neck. Belted. One button on belt. In all sizes.

NOTE: We make maids' and nurses' uniforms in any style. Submit your requirements and we will furnish prices.

JANITORS' BAGS

- 2160 Made of eight ounce khaki duck. Has draw string in top and the bottom is of double thickness. 28" x 40" with handles on side. Used in picking up rubbish by janitors.

PAINTERS' DROP CLOTHS

Made of heavy pocket drill in various sizes.

| | |
|------|-----------|
| 2163 | 6' x 10' |
| 2162 | 12' x 12' |
| 2163 | 12' x 16' |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

SHOES

The newly remodeled shoe plant with its up to date machinery manufactures shoes of very high quality. Workmanship, materials and finish are kept at highest standards. All of our shoes are made in black only.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

SHOES



MEN'S WELT SEMI-DRESS SHOE

160

Grain leather innersole; reinforced with heavy canvas; uppers of black Vici-kid, oak leather outsole; all-leather counter; completely lined, full rubber heel; sizes 5 to 13; E width only.



MEN'S WELT WORK SHOE

161

Grain leather innersole; uppers of heavy HH Retan leather; storm welt; gusset tongue; plain toe; lined vamp; composition sole and rubber heel. Sizes 5 to 13; E width only.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



MEN'S WELT WORK SHOE

- 162 Grain leather innersole; heavy HH Retan uppers; storm welt; gusset tongue; plain toe; lined vamp; leather outersole; full rubber heel; sizes 5 to 13; E width only.



MEN'S WELT WORK SHOE

- 163 Reinforced leather innersole; heavy HH Retan upper; storm welt; gusset tongue; plain toe; lined vamp; raw-cord outsole; full rubber heel; sizes 5 to 13; E width only.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



MEN'S CONGRESS MOULDER'S SHOE

164

Reinforced leather innersoles; oak leather outsoles; heavy black HH Retan leather uppers; plain, soft toe; full rubber heel; sizes 5 to 13; E width only.



MEN'S WELT HOUSE SLIPPERS

165

Oak leather outsole; grain leather innersole; black Vici-kid uppers; plain toe; completely lined; full rubber heel; sizes 5 to 13; E width only.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



MEN'S WELT DRESS OXFORD

166 Reinforced innersole; oak leather outsole; black calf uppers; plain toe; completely lined; full rubber heel; sizes 5 to 12; D width only.



MEN'S WELT WORK OXFORD

167 Oak leather outsole; reinforced grain leather innersole; black, army grain Elk uppers; storm welt; plain toe; lined vamp; full rubber heel and all-leather counter; sizes 5 to 13; E width only.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



WOMEN'S WELT COMFORT OXFORD

- 170 Oak leather outsole; grain leather innersole; black calf uppers; plain toe; completely lined; full rubber heel; sizes 3 to 10; D width only.



WOMEN'S DRESS WELT OXFORD

- 171 Oak leather outsole; grain leather insole; black Vici-kid uppers; with tip; lined; leather heel with rubber cap; sizes 3 to 10; D width only.

WOMEN'S WELT HOUSE SLIPPER

- 172 Oak leather outsole; grain leather innersole; black Vici-kid uppers; plain toe; lined; full rubber heels; sizes 3 to 10; D width only.




INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

BUILDING SUPPLIES


Brick, building tile, drain tile and drain tile connections are manufactured. Freshly burnt quicklime, stone, stone chips and cement tile are also made at the brick plant.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana




BRICK

| | | Weight per Thousand |
|------|---|------------------------|
| 5700 | Common kiln run brick, $8\frac{1}{8} \times 3\frac{7}{8} \times 2\frac{1}{8}$ | 4,840 lbs. |
| 5701 | Common red brick, selected for color | 5,300 lbs. |
| 5702 | Common buff, selected for color | 5,300 lbs. |
| 5703 | Common bull dog nose brick, red or buff | 5,300 lbs. |
| 5704 | Common paving brick, $8\frac{1}{8} \times 3\frac{7}{8} \times 4\frac{3}{8}$ | 10,800 lbs. |
| 5705 | Underburnt brick, salmon color | 5,300 lbs. |
| 5706 | Scratch face brick, red to purple | 5,300 lbs. |
| 5707 | Cull brick | 5,300 lbs. |
| 5708 | Common building brick, $8 \times 3\frac{3}{4} \times 2\frac{1}{4}$, with 5 holes | 4,840 lbs. |



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



BUILDING TILE

| | | Weight per Thousand |
|------|--|------------------------|
| 5710 | 5 x 8 x 12" two cell building tile | 16,500 lbs. |
| 5711 | 5 x 8 x 12" two cell building tile, scratch face | 16,500 lbs. |
| 5712 | 5 x 8 x 12" three cell building tile | 18,500 lbs. |
| 5713 | 5 x 8 x 12" three cell building tile, scratch face | 18,500 lbs. |
| 5714 | 3 x 12 x 12" three cell hollow partition tile | 18,000 lbs. |
| 5715 | 4 x 12 x 12" three cell hollow partition tile | 20,000 lbs. |
| 5716 | 6 x 12 x 12" three cell hollow partition tile | 25,000 lbs. |

NOTE: All partition tile have dovetailed surfaces on all sides except scratched face tile which are dovetailed on one side and one face.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana




DRAIN TILE

| | | Weight per Thousand |
|------|---------------------------------|------------------------|
| 5725 | Four inch drain tile, selected | 9,000 lbs. |
| 5726 | Four inch drain tile, kiln run | 9,000 lbs. |
| 5727 | Five inch drain tile, selected | 12,500 lbs. |
| 5728 | Five inch drain tile, kiln run | 12,500 lbs. |
| 5729 | Six inch drain tile, selected | 15,000 lbs. |
| 5730 | Six inch drain tile, kiln run | 15,000 lbs. |
| 5731 | Eight inch drain tile, selected | 22,000 lbs. |
| 5732 | Eight inch drain tile, kiln run | 22,000 lbs. |
| 5733 | Ten inch drain tile, selected | 33,000 lbs. |
| 5734 | Ten inch drain tile, kiln run | 33,000 lbs. |

NOTE: All drain tile are one foot long.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



DRAIN TILE CONNECTIONS

FOUR INCH DRAIN TILE CONNECTIONS

| | |
|------|---------------|
| 5740 | Four inch "Y" |
| 5741 | Four inch "T" |
| 5742 | Four inch "L" |

NOTE: All openings are 4 inches in diameter.

FIVE INCH DRAIN TILE CONNECTIONS

| | |
|------|---------------|
| 5745 | Five inch "Y" |
| 5746 | Five inch "T" |
| 5747 | Five inch "L" |

NOTE: The interceptor opening can be either 4 or 5 inches in diameter.

SIX INCH DRAIN TILE CONNECTIONS

| | |
|------|--------------|
| 5750 | Six inch "Y" |
| 5751 | Six inch "T" |
| 5752 | Six inch "L" |

NOTE: The interceptor opening can be either 4, 5 or 6 inches in diameter.

EIGHT INCH DRAIN TILE CONNECTIONS

| | |
|------|----------------|
| 5755 | Eight inch "Y" |
| 5756 | Eight inch "T" |
| 5757 | Eight inch "L" |

NOTE: The interceptor opening can be either 4, 5, 6 or 8 inches in diameter.

TEN INCH DRAIN TILE CONNECTIONS

| | |
|------|--------------|
| 5760 | Ten inch "Y" |
| 5761 | Ten inch "T" |
| 5762 | Ten inch "L" |

NOTE: The interceptor opening can be either 4, 5, 6 or 8 inches in diameter.

TEN INCH DRAIN TILE CONNECTIONS

Connections with all openings ten inches in diameter are two feet long.

| | |
|------|--------------|
| 5765 | Ten inch "Y" |
| 5766 | Ten inch "T" |
| 5767 | Ten inch "L" |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

QUICKLIME

Freshly burnt quicklime is furnished by our brick plant.

| | | |
|------|-----------------------|-------------------|
| 5770 | Waterproof paper bags | 90 lbs. per bag |
| 5771 | Barrels | 180 lbs. per bbl. |



CEMENT TILE

All tile are bell end and reinforced with heavy welded heavy wire mesh.

| | | |
|------|-----------------------|-------------------|
| 5810 | Inside 18 x 36 inches | Wt. 504 lbs. each |
| 5811 | Inside 15 x 36 inches | Wt. 375 lbs. " |
| 5812 | Inside 12 x 36 inches | Wt. 280 lbs. " |

STONE

| | |
|------|-----------|
| 5800 | 100 mesh |
| 5801 | 20 mesh |
| 5802 | 3-16 mesh |

CHIPS

| | |
|------|--------------|
| 5805 | No. 8 washed |
| 5806 | No. 7 washed |
| 5807 | No. 2 washed |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

PAINT

We manufacture a complete line of paints, exterior, interior, equipment enamel, floor enamel, highway traffic paints, roof paints and stains. We also furnish a general line of varnishes. These paints are made of the very best materials available, under expert supervision, and according to the most approved methods. They are comparable in every respect with similar paints sold at a much higher price on the open market.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

INDIANA EXTERIOR PAINT

This paint is prepared (ready-mixed) house paint of the best quality for exterior use. It is a linseed oil paint made with titanium, lead and zinc pigments, according to the most modern formula.

All of the ingredients have been carefully selected to make a properly proportioned paint of the best durability and working qualities. The pigments have been incorporated by the most modern manufacturing methods.

DIRECTIONS FOR USING INDIANA EXTERIOR PAINT

Before using any kind of paint always be sure that the surfaces to be coated are free of all scale, dirt or grease. Do not attempt to paint in wet or extreme cold weather.

Stir each can of paint thoroughly until a uniform body is obtained. Never flow exterior paints, but brush out evenly and make sure that each coat is perfectly dry before applying succeeding coats.

For New Work: Be sure that all knots and pitch spots are well coated with a good grade of orange shellac. When dry, apply the priming coat made by adding one pint of pure raw linseed oil and one quart of pure turpentine to each gallon of paint. After priming fill all cracks and nail holes with a good grade of putty and allow to dry well before applying second coat which is prepared by mixing one pint of pure turpentine to each gallon of paint. Finish coat should be applied as it comes from can without thinning.

For Old Work: Where old paint is in good condition, add one pint of pure turpentine to each gallon of paint for first coat. Apply second coat as it comes from can without thinning. Where old paint is in poor condition, clean off well and apply first coat with a mixture of one pint of pure raw linseed oil and one pint of turpentine to each gallon of paint. Apply second coat as it comes from can without thinning.

Caution: Where only one coat is to be applied never add any thinner but use paint just as it comes from can. INDIANA EXTERIOR PAINT will cover approximately 400 square feet per gallon two coats, as it comes from the can.

| | | | |
|------|--------------|------|-----------------|
| 2550 | Cream | 2557 | Battleship Gray |
| 2551 | Dark Ivory | 2558 | Light Blue |
| 2552 | Buff | 2559 | Pale Green |
| 2553 | Medium Brown | 2560 | Medium Green |
| 2554 | Dark Brown | 2561 | Bronze Green |
| 2555 | Oxide Red | 2562 | Black |
| 2556 | Light Gray | 2563 | White |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

INTERIOR GLOSS ENAMEL

For walls, ceilings, and woodwork.

DIRECTIONS FOR USING INDIANA INTERIOR GLOSS ENAMEL

This material is intended for use as a high grade architectural enamel. It produces a lasting, high lustre finish on all interior surfaces such as walls, ceilings, woodwork, etc. It is not recommended for use on furniture or in places where it may be subjected to severe usage.

First mix enamel thoroughly until a uniform body is obtained. The surface to be coated should be clean and free of all scale, dirt or grease.

For New Work: Over new plaster, wall board, cement, etc., apply prime coat of INDIANA PIGMENTED PRIMER and SEALER as it comes from the can without thinning.

After priming coat has dried for at least 36 hours, apply second coat of INDIANA ENAMEL UNDERCOAT as it comes from the can without thinning. When dry, apply finish coat of gloss enamel as it comes from the can without thinning.

Over new woodwork, apply first coat of enamel undercoat; allow to dry thoroughly and apply finish coat of gloss enamel as it comes from the can without thinning. Under average condition, two coats will usually produce excellent results. In some instances, however, a third coat may be necessary but before this is applied, the gloss should be reduced by washing with a clean cloth dampened with turpentine or naphtha, to prevent crawling of the finish coat.

For Old Work: Over previously painted surfaces that are in good condition, one coat applied without thinning, is usually sufficient. If surface to be painted has a high gloss, this should be reduced by lightly sanding with fine sandpaper, or washing as directed above, with turpentine or naphtha, before applying gloss enamel. Where plaster surface is in poor condition, scrape off all loose paint, fill all cracks and loose places with a good grade of patching plaster, sanding down smooth when dry. These places should be coated with primer and sealer, then proceed as directed above for new work.

For surfaces where calcimine or cold water paint has been used, be sure this material is entirely washed off with warm water, and allowed to dry well before painting.

Over old woodwork where finish is in poor condition, the old material should be removed with paint and varnish remover, washed with naphtha to remove all traces of wax, then proceed as directed above for new work.

When necessary, thin sparingly with pure turpentine.

INDIANA INTERIOR GLOSS ENAMEL will cover approximately 500 square feet per gallon one coat over properly prepared surfaces.

| | | | |
|------|-------------|------|-------------------|
| 2570 | Ivory | 2576 | Eye-Rest Green |
| 2571 | Buff | 2577 | Light Blue |
| 2572 | Light Tan | 2578 | White |
| 2573 | Orchid | 2579 | Primer and Sealer |
| 2574 | Light Gray | 2580 | Undercoat |
| 2575 | Medium Gray | | |

NOTE: Primer and Sealer and Undercoat are furnished tinted to shade of finish coat. Will require no further tinting or thinning. We do not assume responsibility if above is not adhered to.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

INTERIOR SEMI-GLOSS ENAMEL

For walls, ceilings and woodwork.

DIRECTIONS FOR USING INDIANA INTERIOR SEMI-GLOSS ENAMEL

This material is intended for use as a high grade architectural enamel. It produces a lasting, semi-gloss or eggshell lustre on all interior surfaces such as walls, ceilings, woodwork, etc. It is not recommended for use on furniture or in places where it may be subjected to severe usage.

First mix enamel thoroughly until a uniform body is obtained. The surface to be coated should be clean and free of all scale, dirt or grease.

For New Work: Over new plaster, wall board, cement, etc., apply prime coat of INDIANA PIGMENTED PRIMER and SEALER as it comes from the can without thinning.

After priming coat has dried for at least 36 hours, apply second coat, which is prepared by adding one pint of pure turpentine to each gallon of semi-gloss enamel. Finish coat should be applied as it comes from the can without thinning.

Over new woodwork, apply first coat with a mixture of one pint of pure turpentine to each gallon of enamel. Apply second coat as it comes from the can without thinning. Under average conditions, two coats applied as directed will usually produce excellent results. In some instances however, a third coat may be necessary. This should be applied as it comes from the can without thinning.

For Old Work: Over previously painted surfaces that are in good condition, one coat applied without thinning, is usually sufficient. Where plaster surface is in poor condition, scrape off all loose paint, fill all cracks, and loose places with a good grade of patching plaster, sanding down smooth when dry. These places should be coated with primer and sealer, then proceed as directed above for new work.

For surfaces where calcimine or cold water paint has been used, be sure this material is entirely washed off with warm water, and allowed to dry well before painting.

Over old woodwork where finish is in poor condition, the old material should be removed with paint and varnish remover, washed with naphtha to remove all traces of wax, then proceed as directed above for new work.

When necessary, thin sparingly with pure turpentine.

INDIANA INTERIOR SEMI-GLOSS ENAMEL will cover approximately 500 square feet per gallon one coat, on surfaces properly primed and sealed.

| | | | |
|------|------------|------|-------------------|
| 2585 | Ivory | 2590 | Medium Gray |
| 2586 | Buff | 2591 | Eye-Rest Green |
| 2587 | Light Tan | 2592 | Light Blue |
| 2588 | Orchid | 2593 | White |
| 2589 | Light Gray | 2594 | Primer and Sealer |

NOTE: Primer and Sealer is furnished tinted to shade of finish coat. Will require no further tinting or thinning. We do not assume responsibility if above is not adhered to.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

INTERIOR FLAT PAINT

For walls, ceilings and woodwork.

DIRECTIONS FOR USING INDIANA INTERIOR FLAT PAINT

First mix paint thoroughly. Upon opening can, if there is an appreciable amount of liquid on top of the paint, pour off into a clean container. Mix remaining portion well, then replace liquid slowly, stirring constantly until a uniform body is obtained.

For New Work Over Plaster: First apply a coat of INDIANA PIGMENTED PRIMER and SEALER, which effectively overcomes any alkali reaction and prevents suction of succeeding coats. Allow at least 36 hours to dry, then apply two coats of flat paint as it comes from the can.

For new wood or processed fibreboard, primer may be omitted, but thin first coat of paint with one pint of pure turpentine to each gallon of paint. Finish with one or two additional coats of paint as it comes from the can.

For Old Work: The surface to be coated should be clean and free of all scale, dirt or grease. All cracks and loose spots in the plaster should be cleaned well and filled with a good grade of patching plaster, sanding down smooth when dry.

If surface has been previously painted, do not use primer, but if not, use priming coat as directed for new work.

For surfaces where calcimine or cold water paint has been used, be sure this material is entirely washed off with warm water, and allowed to dry well before painting.

If paint should become thick due to exposure, thin sparingly with turpentine.

INDIANA INTERIOR FLAT PAINT will cover approximately 600 square feet per gallon one coat on smooth surfaces and approximately 400 square feet per gallon on rough surfaces, as it comes from the can.

| | | | |
|------|------------|------|-------------------|
| 2600 | Ivory | 2605 | Medium Gray |
| 2601 | Buff | 2606 | Eye-Rest Green |
| 2602 | Light Tan | 2607 | Light Blue |
| 2603 | Orchid | 2608 | White |
| 2604 | Light Gray | 2609 | Primer and Sealer |

NOTE: Primer and Sealer is furnished tinted to shade of finish coat. Will require no further tinting or thinning. We do not assume responsibility if above is not adhered to.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

INDIANA GENERAL PURPOSE ENAMEL

DIRECTIONS FOR USING INDIANA PURPOSE ENAMEL

This material produces a hard, durable finish on either interior or exterior wood or metal surfaces such as furniture, implements, machinery, equipment, etc.

First mix enamel thoroughly until a uniform body is obtained. The surface to be coated should be clean and free of all scale, dirt or grease.

For New Work: On metal surfaces, all rust spots should be removed with steel wool or sandpaper, then washed with naphtha. Apply a coat of INDIANA METAL PRIMER, either Quick Drying or Red Lead Type, making sure that all of the surface is well covered. If Quick Drying Primer is used, allow about 24 hours to dry, then apply finish coat of enamel as it comes from the can without thinning.

If Red Lead Primer is used, ample time must be allowed for complete drying before enamel is applied.

Never use Asphaltum as a metal primer due to its tendency to bleed through or stain succeeding coats.

On wood surfaces, apply first coat which is prepared by mixing one pint of pure turpentine to each gallon of enamel. When thoroughly dry, apply finish coat of enamel as it comes from the can.

For Old Work: On metal surfaces where old finish is in good condition, apply one coat of enamel as it comes from the can without thinning.

Where old finish is in poor condition, remove all rust, scale or loose paint with wire brush or steel wool, wash with naphtha, then coat all places with primer. Allow to dry thoroughly, then apply enamel as it comes from the can without thinning.

On wood surfaces where old finish is in good condition, apply one coat of enamel as it comes from the can without thinning.

Where surface is in poor condition, remove old finish with paint and varnish remover, wash with naphtha to remove wax and proceed as directed above for new work.

When necessary, thin sparingly with pure turpentine.

INDIANA GENERAL PURPOSE ENAMEL will cover approximately 300 square feet per gallon one coat over properly prepared surfaces.

| | | | |
|------|-----------------|------|--------------------------|
| 2615 | Lemon Yellow | 2622 | Bright Red |
| 2616 | Medium Yellow | 2623 | Oxide Red |
| 2617 | Dark Blue | 2624 | Tan |
| 2618 | Brilliant Green | 2625 | Black |
| 2619 | Medium Green | 2626 | White |
| 2620 | Bronze Green | 2627 | Red Lead Type Primer |
| 2621 | Medium Gray | 2628 | Quick Drying Type Primer |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

INDIANA ROOF PAINTS (METAL)

These paints are made for application on metal roofs. In ordering, care should be taken to specify the type of surface to be covered, as special preparation is necessary. A special manufacturing process makes these roof paints hard without causing them to lose their elasticity. They have long life without cracking. The roof should be thoroughly dry before paint is applied to it.

These are not to be used on new galvanized metal unless special primer is applied first. Suggested that new galvanized metal be allowed to weather sufficiently before applying any paint, unless the special primer is used.

DIRECTIONS FOR USING INDIANA METAL ROOF PAINT

Mix thoroughly until a uniform body is obtained. Be sure that the surface to be coated is dry, clean and free of all scale, dirt or grease.

For New Work: On metal roof, other than galvanized, remove all rust spots with a wire brush or steel wool, then wash with naphtha. Apply a coat of INDIANA METAL PRIMER, either Quick Drying or Red Lead type, making certain that all of the surface is well covered. If Quick Drying Primer is used, allow at least 24 hours to dry, then apply one coat of paint as it comes from the can without thinning. If Red Lead Primer is used, ample time must be allowed for complete drying before paint is applied.

We do not recommend the use of this paint on new galvanized metal. This type roof should not be painted until it has weathered sufficiently to have lost its shiny, flaky appearance, at which time it may be painted according to directions given above.

For Old Work: Where surface to be painted is in good condition, that is, no badly rusted spots, clean well and apply one coat of paint as it comes from the can without thinning.

Where surface is in poor condition, clean off all rusted spots with a wire brush or steel wool, touch up such places with metal primer, then apply one coat of paint as it comes from the can without thinning.

In some instances where the entire surface is in poor condition, it may be advisable to apply a full coat of primer instead of touching up in spots. If so, follow directions for new work as above. When necessary, thin sparingly with pure turpentine.

INDIANA METAL ROOF PAINT will cover approximately 300 square feet per gallon one coat over properly prepared surfaces.

| | |
|------|-----------------|
| 2630 | Brilliant Green |
| 2631 | Medium Green |
| 2632 | Bright Orange |
| 2633 | Oxide Red. |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

INDIANA FLOOR ENAMEL

DIRECTIONS FOR USING INDIANA FLOOR ENAMEL

This material produces a hard, durable finish on either wood or concrete floors.

First mix enamel thoroughly until a uniform body is obtained. The surface to be coated should be clean, dry and free of all dirt, grease or dampness.

For New Concrete Floors: Do not attempt to paint a new concrete floor or one that periodically appears damp or moist, as paint will not adhere to such surfaces.

New concrete floors should be permitted to ripen or dry out for about six months before painting. After such a period apply enamel, thinning first coat with one pint of pure turpentine to each gallon of enamel. When thoroughly dry, apply finish coat of enamel as it comes from the can without thinning.

For New Wood Floors: Apply first coat which is prepared by mixing one pint of pure turpentine to each gallon of enamel. When dry, apply finish coat as it comes from the can without thinning.

For Old Concrete Floors: That have been previously painted and where paint is in good condition, apply one coat of enamel as it comes from the can without thinning.

Where old paint is in poor condition, remove as much of the finish as possible with a wire brush or scraper, clean surface well and proceed as directed above for new work.

For Old Floors: Where finish is in good condition, apply one coat of enamel as it comes from the can without thinning. Where surface is in poor condition, remove old finish with paint and varnish remover, wash with naphtha to remove wax and proceed as directed above for new work.

When necessary, thin sparingly with pure turpentine.

INDIANA FLOOR ENAMEL will cover approximately 350 square feet per gallon one coat over wood surfaces and approximately 250 square feet per gallon one coat over concrete surfaces.

| | |
|------|-----------------|
| 2635 | Battleship Gray |
| 2636 | Light Gray |
| 2637 | Dust Color |
| 2638 | Dark Red |
| 2639 | Light Brown |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

INDIANA EXTERIOR SPAR VARNISH

DIRECTIONS FOR USING INDIANA EXTERIOR SPAR VARNISH

This material is intended for use on all exterior wood or metal surfaces.

For New Metals: Apply one or two coats of varnish as desired, as it comes from the can without thinning, allowing ample time to dry between coats.

For New Woodwork: Apply first coat which is prepared by mixing one quart of pure turpentine to each gallon of varnish. When thoroughly dry, apply second coat as it comes from the can without thinning.

For Old Metal or Woodwork: Remove any scale or loose paint with wire brush or steel wool, wash with naphtha and apply one or two coats of varnish as desired, as it comes from the can without thinning, allowing ample time to dry between coats.

When necessary, thin sparingly with pure turpentine.

This material will cover approximately 500 square feet per gallon one coat under average conditions.

| | |
|------|---------------------------|
| 2640 | Exterior Spar, One gallon |
| 2641 | Exterior Spar, ½ gallon |
| 2642 | Exterior Spar, One quart |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

INDIANA INTERIOR FINISHING VARNISH

DIRECTIONS FOR USING INDIANA INTERIOR FINISHING VARNISH

This material is intended for use on all interior surfaces such as woodwork, furniture, etc.

For New Work: Apply first coat which is prepared by mixing one pint of pure turpentine to each gallon of varnish. When thoroughly dry, apply second coat as it comes from the can without thinning.

For Old Work: Where surface is in good condition apply one or two coats of varnish as desired, as it comes from the can without thinning, allowing ample time to dry between coats.

Where surface is in poor condition, remove old finish with paint and varnish remover, wash with naphtha to remove wax and proceed as directed above for new work.

When necessary, thin sparingly with pure turpentine.

This material will cover approximately 500 square feet per gallon one coat under average conditions.

| | |
|------|-----------------------------|
| 2645 | Interior Finish, One gallon |
| 2646 | Interior Finish, ½ gallon |
| 2647 | Interior Finish, One quart |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

INDIANA FLOOR & LINOLEUM VARNISH

DIRECTIONS FOR USING INDIANA FLOOR & LINOLEUM VARNISH

This high quality product is designed to give a durable, high gloss finish on floors and linoleum.

New Floors: For hardwood floors thin first coat slightly with pure turpentine to obtain penetration. Allow at least 12 hours to dry and apply second coat as it comes from the can without thinning.

Do not thin either coat for softwood floors.

Never use shellac as an undercoat for floor varnish.

Old Floors: Over surfaces that are in good condition, one coat applied without thinning is usually sufficient. If old surface is in poor condition, clean off old finish with paint and varnish remover, then wash with naphtha to remove wax. When dry, finish as directed above for new work.

For Linoleum: Remove all grease, polish or wax by washing with naphtha. When dry, apply varnish as it comes from the can without thinning.

Keep tightly covered when not in use, if necessary to thin, use pure turpentine sparingly.

This material will cover approximately 600 square feet per gallon one coat under average conditions.

| | |
|------|------------------------------|
| 2650 | Floor & linoleum, One gallon |
| 2651 | Floor & linoleum, ½ gallon |
| 2652 | Floor & linoleum, One quart |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

TRAFFIC PAINTS

These highway traffic paints are the ones used by the State Highway Commission of Indiana. They can be applied to either cement or asphalt surfaces. They are quick drying and can be applied to any highway without interruption of traffic for any considerable period of time.

Traffic paints—Used for highway marking.

| | |
|------|----------------|
| 2655 | Yellow traffic |
| 2656 | White traffic |
| 2657 | Black traffic |

FIELD PAINTS

White Field Paints—Used for Guard rails, posts, stones, bridge abutments, snow fences.

Black and Brown Field Paints—Used for bridges, iron and wood.

| | |
|------|----------------------|
| 2659 | Titanium White Field |
| 2660 | Black Field |
| 2661 | Brown Field |

ENAMELS

Federal Yellow—Used for bridges, iron and wood.

Red Shop and Sublimed Blue Lead—Used for primers on structural steel or iron only.

Orange Equipment Enamel—Used for trucks, tractors, graders, and other road equipment.

| | |
|------|--------------------|
| 2662 | Red Shop |
| 2663 | Sublimed Blue Lead |
| 2664 | Federal Yellow |
| 2665 | Orange Equipment |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

SCREEN ENAMEL

For use on screen frames and mesh, thinned to proper consistency.

| | |
|------|-------|
| 2670 | Black |
| 2671 | Green |

HEAT RESISTING PAINT

For use in boiler houses, engine rooms, etc.

| | |
|------|------------|
| 2672 | Black |
| 2673 | Bright Red |

OIL STAINS

Can be furnished any shade, sample to be submitted for matching; also sample of wood on which to be applied.

| | |
|------|------------|
| 2674 | Light Oak |
| 2675 | Medium Oak |
| 2676 | Dark Oak |

CREOSOTE STAINS

For use on shingles and exterior woodwork.

| | |
|------|-------|
| 2677 | Gray |
| 2678 | Brown |
| 2679 | Green |

BRONZING LIQUIDS

May be used with aluminum or gold powder or paste. Liquid only furnished. Do not supply powder or paste.

| | |
|------|----------|
| 2680 | Exterior |
| 2681 | Interior |

BLACK ASPHALTUM

For iron fences, fire escapes, pumps, etc. Where an inexpensive paint job is desired; if better quality is wanted, we recommend black general purpose enamel.

| | |
|------|-------|
| 2682 | Black |
|------|-------|

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana


WOOD FURNITURE

Indiana Institutional Industries operates a well-equipped furniture factory which is equipped with modern machinery and is capable of producing all kinds of wood furniture of the best grade. All of our furniture is manufactured from best grade kiln-dried lumber and all labor is closely supervised to assure high grade workmanship.

Furniture can be supplied in various woods and finishes. All finishes are produced from highest grade stains and lacquers having excellent appearance and great durability.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

FURNITURE



STRAIGHT CHAIR

3401 Made of plain oak or gum. Finished in light, dark, or school brown oak and walnut or mahogany. Overall height, 36 $\frac{3}{4}$ inches; seat width, 16 inches; seat depth, 15 inches; height of seat, 17 inches. Plain well made chair. Will give good service.



TEACHERS' CHAIR

3402 Constructed of oak or gum. Finished in light, school brown or dark oak, mahogany or walnut. Overall height, 35 $\frac{1}{2}$ inches; seat depth, 16 $\frac{3}{4}$ inches; seat width, 18 $\frac{1}{4}$ inches; height of seat, 17 $\frac{1}{2}$ inches. This is a fine serviceable chair, well built, and will give good schoolroom service.



TEACHERS' ARM CHAIR

3403 Constructed of oak or gum. Finished in light, school brown or dark oak, mahogany, or walnut. Overall height, 35 $\frac{1}{2}$ inches; seat depth, 18 $\frac{1}{8}$ inches; seat width, 20 $\frac{1}{8}$ inches; height of seat, 17 inches. This is a fine arm chair, well built, and will give general satisfaction.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



TABLET ARM CHAIR

3404


Constructed of oak. Finished in light, dark or school brown oak and walnut or mahogany. Overall height, $33\frac{3}{4}$ inches; seat dimensions, $16\frac{1}{4} \times 16\frac{1}{2}$ inches; arm dimensions, $11\frac{1}{4} \times 22\frac{3}{8}$ inches; height of seat 17 inches. This is a strong, well made chair for class room or dining hall use. A shelf beneath the seat provides ample room for books or hat. Arm shelf provides room for writing, or tray.



PRIMARY TABLET ARM CHAIR

3405

Junior size. Overall height, $28\frac{5}{8}$ inches; seat dimensions, $12\frac{1}{4} \times 12\frac{3}{4}$ inches; arm dimensions, $17 \times 8\frac{1}{4}$ inches; height of seat, 14 inches.



STRAIGHT CHAIR

3406

Constructed of plain oak or gum. Finished in light, school brown or dark oak, mahogany or walnut. Overall height, $37\frac{1}{2}$ inches; seat depth, $17\frac{1}{4}$ inches; seat width, $17\frac{1}{2}$ inches; height of seat, 17 inches. This is a well made chair. Will give satisfaction in dining room or for general use.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



PRIMARY CHAIR

3407

Made of plain oak. Finished in light or dark oak. Overall height, 28 $\frac{5}{8}$ inches; seat dimensions, 12 $\frac{1}{4}$ x 12 $\frac{3}{4}$ inches; height of seat, 14 inches. This is a staunch juvenile chair for use in kindergartens and in children's homes.



STRAIGHT CHAIR

3408

Constructed of oak or gum. Finished in light or dark or school brown oak, mahogany or walnut. Overall height, 33 $\frac{3}{4}$ inches; seat depth, 16 $\frac{1}{2}$ inches; seat width, 18 $\frac{1}{2}$ inches; height of seat, 17 inches. This is a strong well made chair for class room use. Shelf under seat provides room for student's books or hat.



JUNIOR STRAIGHT CHAIR

3409

Overall height, 31 $\frac{3}{4}$ inches; seat dimensions, 16 $\frac{1}{2}$ inches x 17 $\frac{5}{8}$ inches; seat height, 17 inches. Light, dark, or school brown oak finish.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana




FOLDING CHAIR

Constructed of maple or beech, and finished in natural maple. Overall height, 37½ inches; seat height, 16 inches; seat dimensions, 17¼ inches x 17½ inches; three inches thick when folded. This is a serviceable, well made folding chair.

3410 Maple.

3411 Beech.

CANCELLED



INSTITUTION ARM CHAIR

3415

Constructed of oak, this arm chair is sturdy and well built. It is especially recommended for use in mental hospitals and infirmaries. Finished in light or dark oak. Seat width, 24 inches; seat depth, 19 inches; seat height, 16 inches; overall height, 39¾ inches; length of arm, 18¼ inches; width of arm, 4¾ inches.

INSTITUTION ROCKER

3416

This rocker is a sturdy one, built of oak and finished in light or dark oak. Will give long and satisfactory service. Same construction as arm chair except has rockers. Seat width, 24 inches; seat depth, 19 inches; seat height, 16 inches; overall height, 39¾ inches; length of arm, 18¼ inches; width of arm, 4¾ inches.



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



SETTEE

3420

Constructed of plain oak or gum. Finished in light or dark oak, mahogany or walnut. Height of back, $35\frac{1}{2}$ inches; width of seat, $17\frac{3}{4}$ inches; length of seat 42 inches; height of seat, $18\frac{1}{2}$ inches. This is a strong, well built piece of furniture and is recommended for use in county, city, and state institutions and in school offices and waiting rooms.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana




FOLDING CHAIR

Constructed of maple or beech, and finished in natural maple. Overall height, 37½ inches; seat height, 16 inches; seat dimensions, 17¼ inches x 17½ inches; three inches thick when folded. This is a serviceable, well made folding chair.

3410 Maple.

3411 Beech.

CANCELLED



INSTITUTION ARM CHAIR

3415

Constructed of oak, this arm chair is sturdy and well built. It is especially recommended for use in mental hospitals and infirmaries. Finished in light or dark oak. Seat width, 24 inches; seat depth, 19 inches; seat height, 16 inches; overall height, 39¾ inches; length of arm, 18¼ inches; width of arm, 4¾ inches.

INSTITUTION ROCKER

3416

This rocker is a sturdy one, built of oak and finished in light or dark oak. Will give long and satisfactory service. Same construction as arm chair except has rockers. Seat width, 24 inches; seat depth, 19 inches; seat height, 16 inches; overall height, 39¾ inches; length of arm, 18¼ inches; width of arm, 4¾ inches.



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

OFFICE DESK



Constructed of gum or oak and finished in light or dark oak, mahogany or walnut. Has three drawers each side and one center drawer. Brass ferrules on legs. Brass or wood pulls optional.

Above desk with wood pulls

| | |
|------|---|
| 3421 | 50 inches long — 32 inches wide — 30 inches high |
| 3422 | 54 inches long — 32 inches wide — 30 inches high |
| 3423 | 60 inches long — 34 inches wide — 30 inches high |
| 3424 | 60 inches long — 48 inches wide — 30 inches high, double desk |

Above desk with brass pulls

| | |
|------|---|
| 3425 | 50 inches long — 32 inches wide — 30 inches high |
| 3426 | 54 inches long — 32 inches wide — 30 inches high |
| 3427 | 60 inches long — 34 inches wide — 30 inches high |
| 3428 | 60 inches long — 48 inches wide — 30 inches high, double desk |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana




TYPEWRITER DESK

3429

Constructed of plain oak or gum. Finished in light or dark oak, mahogany or walnut. Has three drawers on one side and two drawers on other or three drawers on each side. Has center well for typewriter. Brass ferrules on legs. 50 inches long, 34 inches wide and 30 inches high.

CANCELLED



TEACHERS' DESK

3430

Single pedestal with book rack opposite pedestal. Three drawers in pedestal and center drawer. Size 47 inches x 28 inches x 30 inches high. Finished in light, dark or school brown oak.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



TYPEWRITER DESK

- 3431 Single pedestal either right or left side. Three drawers on one side with well for typewriter. Size 42 inches x 32 inches x 30 inches high. Finished in light or dark oak.

CANCELLED

KNEE HOLE DESK

(Not Illustrated)

Constructed of oak or gum. Finished in light or dark oak, walnut or mahogany. Has three drawers each side and one center drawer. Brass ferrules on legs and wood pulls on drawers. 26 inches wide, 47 inches long, 29 inches high.

- | | |
|------|------|
| 3432 | Oak. |
| 3433 | Gum. |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



OFFICE TABLES

Constructed of oak or gum and finished in either light or dark oak, mahogany or walnut. Has five ply wood top, brass ferrules on legs, and one center drawer.

3437 48 inches long — 30 inches wide — 30 inches high

3438 42 inches long — 30 inches wide — 30 inches high

Constructed of oak or gum and finished in light or dark oak, mahogany or walnut. Has five ply wood top. Brass ferrules on legs. Two front drawers.

3439 60 inches long — 36 inches wide — 30 inches high

3440 54 inches long — 30 inches wide — 30 inches high

3441 72 inches long — 36 inches wide — 30 inches high




LIBRARY TABLE

Finished in light or dark oak. 36 inches wide, 72 inches long with $\frac{5}{8}$ inch shelf below.

3445 With oak top.

3446 With linoleum top.


INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



CAFETERIA OR LABORATORY TABLES

Constructed of oak and finished in light or dark oak.
Has five ply wood top. Brass ferrules on legs.

- | | |
|------|---|
| 3450 | 120 inches long — 34 inches wide — 30 inches high |
| 3451 | 96 inches long — 34 inches wide — 30 inches high |
| 3452 | 84 inches long — 34 inches wide — 30 inches high |
| 3453 | 72 inches long — 34 inches wide — 30 inches high |



COSTUMERS

Made of gum or oak. Finished in
natural oak, walnut or mahogany.

- | | |
|------|------|
| 3455 | Gum. |
| 3456 | Oak. |




MAGAZINE RACK

- | | |
|------|---|
| 3461 | Constructed of gum and finished in walnut. Has magazine pocket on each end. Bottom shelf is 11 inches from floor. Top shelf is 23½ inches from floor. Height overall is 28½ inches. Top is 20½ inches long and 12 inches wide. |
|------|---|

CANCELLED

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



BED TRAY

- 3460 Constructed of gum and finished in mahogany. 15 inches wide and $23\frac{7}{8}$ inches long. Has folding legs.



WOODEN WASTE PAPER BASKET

- 3463 Constructed of gum and finished in walnut or mahogany. 14 inches high, 10 x 10 inches square top.

SMOKING STAND

(Not Illustrated)

- 3462 Constructed of gum and finished in walnut or mahogany. $26\frac{1}{2}$ inches high, top $12\frac{1}{2}$ inches x $9\frac{1}{2}$ inches. Four turned legs, front door with friction catch. 8 inches x 9 inches.

END TABLES

- 3464 Constructed of gum, and finished in mahogany or walnut. Right and left matched tables. 20 inches high from floor, 24 inches long at back, $16\frac{1}{2}$ inches wide, bottom compartment open, 15 inches x 8 inches. Has two drawers. Top drawer 3 inches deep, bottom drawer 4 inches deep. Has five turned short legs, two inches long. Sold singly or set of two.




INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

CAPE COD DESIGN BEDS

Constructed of maple and finished in natural maple, Cape Cod or walnut. These beds are furnished in either full or twin size and are for use in employees' quarters. They are well constructed, reinforced and will give excellent service.

- | | | |
|------|--------|----------|
| 3470 | Twin | 39 x 75. |
| 3469 | Double | 54 x 75. |




CAPE COD DRESSER

- 3471 This dresser matches the beds described above. It is constructed of maple and finished in either natural maple, Cape Cod or walnut. Overall height, 38 inches, length 42 inches, width 20 inches, two lower drawers are 8 $\frac{1}{4}$ inches deep, upper drawer is 7 inches deep. All drawers are 35 $\frac{1}{4}$ inches long, and 16 inches wide. (Inside dimensions.)



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana




MIRRORS FOR DRESSER

Mirrors for dresser.

3472 12" x 18"


3473 22" x 28"



NIGHT STAND

3474

Same finish as dresser and bed. Height 28 inches, width 14 inches, height of shelf 9 inches, top 13 x 16 inches.



BENCH

3475

Same construction and finish as dresser and beds. Length 12½ inches, width 14 inches, height of seat 17 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana




DINING TABLE

- 3477 Dining table, Cape Cod design, maple. 32 inches x 36 inches.
- 3478 Dining table, Cape Cod design, maple. 32 inches x 48 inches.
- 3479 Dining table, Cape Cod design, maple. 32 inches x 72 inches.



DINING CHAIR

- 3476 Dining chair, Cape Cod design, made of maple and finished in natural maple, Cape Cod or walnut.



WHAT-NOT

- 3480 What-not is 33 inches high. Walnut or mahogany finish.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

RADIO TABLE




3481 This table is 33" x 14" x 25" high. Finished in walnut or mahogany.



END TABLES

3465

Constructed of gum. Half circle tables to fit end of davenport. Has three turned legs, and cross brace at bottom. 24 inches long, 12 inches wide, 24½ inches high.



FLOWER STAND

3482 The top is 12" in diameter and is 21" high. Mahogany or walnut finish.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

HICKORY FURNITURE

The hickory furniture factory is equipped with modern machinery assuring long wearing quality products and produces all kinds of hickory furniture of the best grade.

Chairs, swings, gliders, tables, bedsteads, juvenile furniture, doll furniture, tamarac furniture, and many other articles are manufactured in this plant.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



SWING AND STAND COMPLETE

- 5283 Height of stand overall 6 feet 8 inches
Length of stand overall 8 feet 6 inches
Spread at bottom of stand 4 feet 8 inches.

SWING ONLY

- 5282 Height of back from seat 21 inches
Length of seat 42 inches
Depth of seat 17 inches
Swing furnished with chains.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



CHAIR

5250 Height of back from seat 23 inches
Height of seat from floor 16 inches
Depth of seat 17 inches
Length of seat 21 inches.



ROCKER

5251 Height of back from seat 23 inches
Height of seat from floor 16 inches
Depth of seat 17 inches
Length of seat 21 inches.



CHAIR

5258 Height of back from seat 23 inches
Height of seat from floor 16 inches
Length of seat 21 inches
Depth of seat 17 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

ROCKER

5259 Height of back from seat 23 inches
 Height of seat from floor 16 inches
 Length of seat 21 inches
 Depth of seat 17 inches.



SPECIAL CHAIR

5287 Height of back from seat 32 inches
 Height of seat from floor 16 inches
 Depth of seat 17 inches
 Width of seat 21 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

GLIDER AND STAND COMPLETE

5285 Height of stand overall 30 inches
Length of stand overall 60 inches
Width at bottom 30 inches, top 24 inches
Height of glider back from seat 21 inches
Length of seat 42 inches
Depth of glider seat 17 inches
Height of seat adjustable.



SETTEE

5281 Height of back from seat 21 inches
Length of seat 42 inches
Depth of seat 17 inches
Height from floor to seat 16 inches.


INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



SETTEE
5252 Height of back from seat 20 inches
Height of seat from floor 16 inches
Depth of seat 17 inches
Length of seat 42 inches.

GLIDER AND STAND COMPLETE

- 5256 Height of stand overall 30 inches
Length of stand overall 60 inches
Width of bottom overall 30 inches, top 24 inches
Height of glider back from seat 20 inches
Length of glider seat 42 inches
Depth of glider seat 17 inches
Height of seat is adjustable.



Swing Only

- 5253 Height back from seat 20 in.
Length of seat 42 inches
Depth of seat 17 inches.

Swing And Stand Complete

- 5254 Height overall 6 ft. 8 inches
Length of stand 7 feet
Spread of bottom 4 ft. 8 in.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



Swing And Stand Complete

5262 Height of stand overall 6 feet
8 inches
Length of stand 7 feet
Spread of bottom 4 feet 8
inches at floor
Height of swing back from
seat 20 inches
Length of swing seat 42 inches
Depth of swing seat 17 inches
Height of seat adjustable.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



GLIDER AND STAND COMPLETE

- 5264 Height of stand overall 30 inches
Length of stand overall 60 inches
Width of stand at bottom 30 inches, top 24 inches
Height of glider back from seat 20 inches
Length of glider seat 42 inches
Depth of seat 17 inches
Height of seat adjustable.




SETTEE

- 5260 Height of back from seat 20 inches
Height of seat from floor 16 inches
Length of seat 42 inches
Depth of seat 17 inches.

Swing Only


- 5261 Height of back from seat 20 in.
Length of seat 42 inches
Depth of seat 17 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



SPECIAL SETTEE

5266 Height of back from seat 23 inches
Length of seat 6 feet 2 inches
Depth of seat 18 inches
Height from floor 16 inches.



SPECIAL GLIDER

5269 Height of stand overall 32 inches
Length of stand overall 7 feet 2 inches
Width of stand at bottom 32 inches, top 26 inches
Height of glider back from seat 23 inches
Length of glider seat 6 feet 2 inches
Depth of glider seat 18 inches.

SWING AND STAND COMPLETE

5267 Height of swing stand 6 feet 8 inches
Length of swing stand 8 feet 6 inches
Spread of bottom at floor 4 feet 8 inches
Height of back from swing seat 23 inches
Length of swing seat 6 feet 2 inches
Depth of swing seat 18 inches
Height from floor adjustable.

SPECIAL SWING ONLY

5268 Same dimensions as above glider.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



CHAIR

5279 Height of back from seat 21 inches
 Height of seat from floor 16 inches
 Depth of seat 17 inches
 Width of seat 21 inches.



ROCKER

5280 Height of back from seat 21 inches
 Height of seat from floor 16 inches
 Depth of seat 17 inches
 Width of seat 21 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



CHAIR

5271 Height of back from seat 23 inches
Height of seat from floor 16 inches
Depth of seat 17 inches
Length of seat 21 inches.



ROCKER

5272 Height of back from seat 23 inches
Height of seat from floor 16 inches
Depth of seat 17 inches
Length of seat 21 inches.



SETTEE

5272 Height of back from seat 20 inches
Height of seat from floor 16 inches
Depth of seat 17 inches
Length of seat 42 inches.

5274 No. 5273 settee, swing only.
2576 No. 2573 settee, swing with chains.
5275 No. 5273 settee, swing and stand complete.
5277 No. 5273 settee, glider complete.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



SPECIAL ROCKER

5288 Height of back from seat 32 inches
Height of seat from floor 16 inches
Depth of seat 17 inches
Width of seat 21 inches.




5290 Height of back from seat 21 inches
Height of seat from floor 18 inches
Depth of seat 16 inches
Width of seat 20 inches.

DINING CHAIRS




5289 Height of back from seat 21 inches
Height of seat from floor 18 inches
Depth of seat 16 inches
Width of seat 20 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



**WOVEN TOP
COUNTER STOOL**

5291 Height overall 30 inches
Seat 13 inches square
Spread at bottom 16 inches.



**WOODEN TOP
COUNTER STOOL**

5292 Height overall 31 inches
Seat 14 inches diameter
Spread at bottom 12 inches.



LEANBACK

5294 Height of back from seat 35
inches
Height of seat from floor 16
inches
Depth of seat 20 inches
Width of seat 21 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

LEANBACK

5293 Height of back from seat 35
 inches
 Height of seat from floor 16
 inches
 Depth of seat 20 inches
 Width of seat 21 inches.




LEANBACK

5295 Height of back from seat 35 inches
 Height of seat from floor 16 inches
 Depth of seat 20 inches
 Width of seat 21 inches
 With footrest attached
 Footrest measurements:
 Length 20 inches
 Width 16 inches
 Height from floor 16 inches.



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



CHAISE LOUNGE

5296 Height overall 19 inches, with 2 foot 5 inch taper raise
headrest
Length 6 feet 4 inches
Width 26 inches.




OTTOMAN

5297 Height from floor 16 inches
Width 17 inches
Length 21 inches.



BENCH

5298 Height from floor to seat 16
inches
Height of panel from seat on each
end 12 inches
Depth of seat 17 inches
Length of seat 21 inches.



FOOTSTOOL

5299 Height overall 13 inches
Width 12 inches
Length 17 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



TABLE—ROUND


5300 30 inches diameter solid oak top
Height 30 inches, 3 leg base.



TABLE—SQUARE

5301 30 inches x 30 inches solid
oak top round corner
Height 30 inches, 4 leg base.


5302 36 inches square oak top
Height 30 inches, 4 leg base.



TABLE

5303 40 inches solid oak top
Height 30 inches, 4 leg base.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



TABLE

5304 24" x 48" solid oak top
Height 30 inches, 4 leg base.



5305 30" x 72" solid oak top
Height 30 inches, 4 leg base.


5306 24 inch solid oak octagon
top
Height 30 inches, 4 leg
base.

BEDSTEAD (FULL SIZE)

5307 Inside measurement 54 inches wide, 76 inches long
Height of head post 50 inches
Height of foot post 36 inches.

TWIN BED

5308 Inside measurement 39 inches wide, 76
inches long
Height of head post 50 inches
Height of foot post 36 inches.



INDIANA INSTITUTIONAL INDUSTRIES
 141 South Meridian Street
 Indianapolis, Indiana

SWING STAND STANDARD

- 5309 Height of stand overall 6 feet 8 inches
 Length of stand overall 8 feet 6 inches
 Spread of bottom 4 feet 8 inches at floor.

GLIDER STAND STANDARD

- 5310 Height of glider stand 30 inches
 Length of glider stand 60 inches
 Width of glider stand at bottom 30 inches
 Top 24 inches.

SWING CHAINS ONLY

- 5311 Porch swing chains.



JUVENILE CHAIR

- 5312 Height of back from seat 12 inches
 Height of seat from floor 12 inches
 Length of seat 14 inches
 Depth of seat 12 inches.

JUVENILE ROCKER

- 5313 Height of back from seat 12 inches
 Height of seat from floor 12 inches
 Length of seat 14 inches
 Depth of seat 12 inches.

JUVENILE ARM CHAIR

- 5314 Height of back from seat 12 inches
 Height of seat from floor 12 inches
 Length of seat 14 inches
 Depth of seat 12 inches.

JUVENILE TABLE

- 5316 Height of table from floor 20 inches
 Length of table top 20 inches
 Width of table top 16 inches.



JUVENILE ROCKER

- 5315 Height of back from seat 12 inches
 Height of seat from floor 12 inches
 Length of seat 14 inches
 Depth of seat 12 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



JUVENILE SETTEE

5317 Height of back from seat 11 inches
Height of seat from floor 11 inches
Length of seat 30 inches
Depth of seat 12 inches.



JUVENILE HIGH CHAIR

5319 Height of back from seat 16 inches
Height of seat from floor 24 inches
Width of seat 13 inches
Depth of seat 14 inches
With tray attached.



JUVENILE HOOP ROCKER

5318 Height of back from seat 17 inches
Height of seat from floor 14 inches
Width of seat 15 inches
Depth of seat 14 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

DOLL FURNITURE



DOLL CHAIR

- 5320 Height of back from seat 6 inches
Height of seat from floor 5 inches
Width of seat 7 inches
Depth of seat 7 inches.

DOLL ROCKER

- 5321 Height of back from seat 6 inches
Height of seat from floor 5 inches
Width of seat 7 inches
Depth of seat 7 inches.

DOLL TABLE

- 5322 8 inches high with 10 inch square top.

DOLL BED

- 5323 Height overall at head 15 inches
Height at foot 12 inches
Width at foot 12 inches
Length 21 inches.




TAMARAC LEANBACK


- 5325 Height of back from seat 35 inches
Height of seat from floor 16 inches
Width of seat 21 inches
Depth of seat 20 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

TAMARAC LEANBACK



5326 Height of back from seat 35 inches
 Height of seat from floor 16 inches
 Width of seat 21 inches
 Depth of seat 20 inches
 Without ottoman.



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



TAMARAC OTTOMAN

5327 Height of seat from floor 16 inches
Length of seat 21 inches
Width of seat 17 inches.

DINING CHAIR

5328 Height of back from seat 20 inches
Height of seat from floor 17 inches
Width of seat 16 inches
Depth of seat 16 inches.



TAMARAC TABLE

5329 Open pine top
Height 30 inches
Width 28 inches
Length 30 inches.

TAMARAC TABLE

5330 Close pine top, 30 inches square
Height 30 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



TAMARAC TABLE

5331 Folding table, close pine top
Height from floor 30 inches
Width of top 30 inches
Length of top 72 inches.

TAMARAC TABLE


5332 Special folding pine top
Height from floor 30 inches
Width of top 28 inches
Length of top 72 inches.



TAMARAC CHAIR

5333 Height of back from seat 22 inches
Height of seat from floor 16 inches
Width of seat 23 inches
Depth of seat 18 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



TAMARAC FOLDING BENCH

5335 Pine top
Height of seat from floor 18
Width of seat 12 inches
Length of seat 6 feet.



TAMARAC ROCKER


5334 Height of back from seat 22 inches
Height of seat from floor 16 inches
Width of seat 23 inches
Depth of seat 18 inches.



TAMARAC SETTEE

5336 Height of back from seat 20 inches
Height of seat from floor 16 inches
Length of seat 44 inches
Depth of seat 17 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



RUSTIC SASSAFRASS PERGOLA

5337 Height overall 80 inches
Length 72 inches
Depth 34 inches.



SASSAFRASS BENCH

5338 Height overall 27 inches
Height of seat from floor 17 inches
Length of seat 24 inches
Depth of seat 18 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



FERNERY

5339

Height overall 29 inches
Inside measurement width 6 inches
Inside measurement depth 7 inches
Length 24 inches.



PERGOLA WITH SEAT

5340 Height overall 80
inches
Length 96 inches
Depth 18 inches
Length of seat 34
inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



RUSTIC SETTEE

5341 Height of back from seat 18 inches
Height of seat from floor 17 inches
Length of seat 40 inches
Depth of seat 18 inches.

ARMCHAIR

5342 Height of back from seat 18 inches
Height of seat from floor 17 inches
Length of seat 24 inches
Depth of seat 18 inches.



CHAIR


5343 Height of back from seat 18 inches
Height of seat from floor 17 inches
Length of seat 18 inches
Depth of seat 18 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



TABLE


5344 Height overall 30 inches
24 inches square top.



CANOPY SETTEE


5345 Height overall 80 inches
Length overall 72 inches
Depth of seat 24 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



PLANT STAND

5346 Height overall 28 inches
Inside measurement — top octa-
gon 8 inches diameter
Depth 6 inches.



COSTUMER

5286 Height 5 ft. 6 in. with 8 pegs.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

MATTRESSES

All of our mattresses are filled with high grade cotton linter batts and covered with best grade ticking. By using cotton batts exclusively, our customers can be assured of a product that will not become lumpy or packed.

The innerspring mattresses are constructed with best Helical spring units obtainable which are covered with Sisal padding and cotton batts to assure long life under hard usage.

All of the pillows made at our mattress factory are filled with best feathers obtainable which are cleaned thoroughly before being put in the pillows.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

COTTON FELT MATTRESSES



These mattresses are filled with high grade cotton linter batts. Best grade ACA blue and white striped ticking is used for cover. Mattresses are furnished with either rolled, French or taped edge. Furnished in any size or weight.

| | | | |
|------|--------------|-----------|---------------------------------|
| 1930 | Size 54 x 72 | Stitch 36 | Wt. 50 lb. rolled edge |
| 1931 | 36 x 72 | 32 | 40 lb. " " |
| 1932 | 30 x 72 | 27 | 30 lb. " " |
| 1933 | 25 x 72 | 25 | 25 lb. " " |
| 1935 | Size 54 x 72 | Stitch 36 | Wt. 50 lb. taped or rolled edge |
| 1936 | 36 x 72 | 32 | 40 lb. " " " " |
| 1937 | 30 x 72 | 27 | 30 lb. " " " " |
| 1938 | 25 x 72 | 24 | 25 lb. " " " " |

All mattresses can be furnished 75" long at no extra cost if desired. If extra width is desired, please add 10 cents per inch for each additional inch in width.

NOTE: Prices for other sizes furnished upon request.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

BOX SPRINGS

| | | |
|------|----------------|-------------|
| 1926 | Size 54" x 75" | ACA ticking |
| 1927 | 39" x 75" | ACA ticking |

INNER SPRING MATTRESSES

All inner spring mattresses are made with Helical Spring units, well covered with Sisal padding and cotton batts. The mattresses are covered either with ACA blue and white striped ticking, or with fancy ticking.

| | | | |
|------|--------------|-----------|---------------|
| 1900 | Size 25 x 72 | Coils 108 | 6 oz. ACA |
| 1901 | *30 x 72 | 188 | 6 " " |
| 1902 | 36 x 72 | 188 | 6 " " |
| 1903 | 39 x 72 | 214 | 6 " " |
| 1904 | 48 x 72 | 260 | 6 " " |
| 1905 | 54 x 72 | 310 | 6 " " |
| 1910 | Size 25 x 72 | Coils 108 | 8 " " |
| 1911 | *30 x 72 | 188 | 8 " " |
| 1912 | 36 x 72 | 188 | 8 " " |
| 1913 | 39 x 72 | 214 | 8 " " |
| 1914 | 48 x 72 | 260 | 8 " " |
| 1915 | 54 x 72 | 310 | 8 " " |
| 1920 | Size 25 x 72 | Coils 108 | Fancy Ticking |
| 1921 | *30 x 72 | 188 | " " |
| 1922 | 36 x 72 | 188 | " " |
| 1923 | 39 x 72 | 214 | " " |
| 1924 | 48 x 72 | 260 | " " |
| 1925 | 54 x 72 | 310 | " " |

*30 x 72 mattresses are made to order only.

All mattresses can be furnished 75" long at no extra cost if desired. If extra width is desired, please add 10 cents per inch for each additional inch in width.

SANITARY MATTRESSES

These mattresses are ideal for institution use in jails and in hospitals. They are filled with cotton linter batts and have a leatherette covering which is washable and sanitary.

| | |
|------|--------------|
| 1940 | Size 36 x 72 |
| 1941 | Size 54 x 72 |
| 1942 | Size 30 x 72 |
| 1943 | Size 25 x 72 |

MATTRESS COVERS

These mattress covers are made in blue and white striped ticking. Can be furnished in either 6 or 8 ounce ticking.

| | | |
|------|--------------|-------|
| 1945 | Size 54 x 75 | 6 oz. |
| 1946 | Size 36 x 75 | 6 oz. |
| 1947 | Size 30 x 75 | 6 oz. |
| 1948 | Size 25 x 75 | 6 oz. |
| 1949 | Size 54 x 75 | 8 oz. |
| 1950 | Size 36 x 75 | 8 oz. |
| 1951 | Size 30 x 75 | 8 oz. |
| 1952 | Size 25 x 75 | 8 oz. |


INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

STRAW TICKS

Made of 8 ounce ACA blue and white striped ticking.

| | | |
|------|--------------|-------------|
| 1955 | Size 54 x 75 | |
| 1956 | Size 36 x 75 | |
| 1957 | Size 30 x 75 | |
| 1958 | Size 25 x 75 | |
| 1959 | Size 54 x 75 | With zipper |
| 1960 | Size 36 x 75 | With zipper |
| 1961 | Size 30 x 75 | With zipper |
| 1962 | Size 25 x 75 | With zipper |

FEATHER PILLOWS



Made of 8 ounce ACA ticking. Filled with good clean feathers. Made in any size or weight desired.

| | | | |
|------|--------------|------------|--------------------------------------|
| 1965 | Size 20 x 29 | Wt. 3 lbs. | White goose |
| 1966 | Size 20 x 29 | Wt. 3 lbs. | Grey goose |
| 1967 | Size 20 x 29 | Wt. 3 lbs. | White duck |
| 1968 | Size 20 x 29 | Wt. 3 lbs. | Half grey goose and half duck |
| 1969 | Size 20 x 29 | Wt. 3 lbs. | Grey duck |
| 1970 | Size 20 x 29 | Wt. 3 lbs. | Hen feathers |
| 1971 | Size 20 x 29 | Wt. 3 lbs. | Half grey duck and half hen feathers |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

MATTRESS PADS

These mattress pads are made of blue and white striped ACA ticking, and are filled with good grade cotton batts. Other sizes furnished on request, per thickness and weight.

| | | | |
|------|--------------|--------------|-------------------|
| 1972 | Size 25 x 72 | Wt. 12½ lbs. | approx. 2 " thick |
| 1973 | Size 25 x 72 | Wt. 17½ lbs. | approx. 2½" thick |
| 1974 | Size 27 x 72 | Wt. 13 lbs. | approx. 2 " thick |
| 1975 | Size 27 x 72 | Wt. 18 lbs. | approx. 2½" thick |

PILLOW CASES

Made of good grade bleached or unbleached muslin.

| | | | |
|------|--------------|----------|------------|
| 1980 | Size 18 x 25 | 36" long | bleached |
| 1981 | Size 18 x 25 | 30" long | bleached |
| 1982 | Size 20 x 29 | 36" long | bleached |
| 1983 | Size 20 x 29 | 30" long | bleached |
| 1984 | Size 18 x 25 | 36" long | unbleached |
| 1985 | Size 18 x 25 | 30" long | unbleached |
| 1986 | Size 20 x 29 | 36" long | unbleached |
| 1987 | Size 20 x 29 | 30" long | unbleached |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

RUGS

All kinds of rugs are made in the Rug Department and the work furnishes employment for men who could not be employed in other industries.

The braided rugs are braided and sewed by hand. They are made either in oval or round shapes.

The hooked rugs are very beautiful. They are made in various patterns and in either oblong or oval shapes. These rugs are hand made and require most painstaking effort. One man, working steadily, can complete one of these rugs in three weeks.

The hit and miss rag rugs are always popular. They are also made in all plain design in seven sizes. They are splendid for bedrooms and kitchens.


The roving rugs are made of twisted yarn and are woven on hand looms. They are stocked in five sizes and three color combinations.

The burlap rugs are made of fringed burlap and are woven on hand looms. They are dyed in many colors and are very beautiful as well as durable.

All rugs are made of new materials. We can furnish rugs in lengths other than those specified in the following pages. This does not apply to hooked rugs. We invite your inquiries.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

RAG RUGS—HIT AND MISS




- | | |
|----|-----------------|
| 60 | Size 18" x 36" |
| 61 | Size 25" x 50" |
| 62 | Size 27" x 54" |
| 63 | Size 36" x 72" |
| 64 | Size 25" x 108" |
| 65 | Size 25" x 144" |
| 66 | Size 6½' x 9' |
| 67 | Size 9' x 12' |

These rugs are made of new rags. They are reversible and washable. Hit and miss design only. All bright colors. We can furnish any length desired.

HOOKED RUGS

These rugs are hand made, of all new materials. It requires three weeks for one man, working steadily, to complete one rug. Pattern for the rug is stamped on the burlap and the materials are worked through with a needle. Eighty thousand loops are required to make one rug. Each loop is pulled through and up by hand. They are made in many beautiful designs, in bright colors or pastel shades as desired. Made in either oval or oblong shape.

- | | |
|----|----------------|
| 70 | Size 18" x 25" |
| 71 | Size 27" x 46" |



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



ROVING RUGS

These roving rugs are made by hand of twished yarn. They are reversible and will give long wear. Made in three color combinations—red and white—blue and white—green and white. We stock these in the sizes specified below but can furnish them in any length.

| | |
|----|-----------------|
| 80 | Size 18" x 36" |
| 81 | Size 25" x 46" |
| 82 | Size 25" x 50" |
| 83 | Size 27" x 54" |
| 84 | Size 36" x 72" |
| 85 | Size 25" x 108" |

BRAIDED RUGS

These rugs are made of new materials. They are braided and sewed by hand, and are made in either oval or round shape. They are serviceable and washable. Excellent for bathrooms, bedrooms, kitchens, and hallways.

| | |
|----|------------------|
| 90 | 36 inch diameter |
| 91 | 36" x 54" |



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

BURLAP RUGS

These rich looking rugs are made of burlap. The material is new and is fringed and woven on looms. They are serviceable and will not fade. They are dyed in the following colors: Dark Purple, Old Gold, Turkey Red, Garnet Red, Dark Green, Black, Dark Blue, Dark Brown, Natural and Old Rose. These rugs are excellent for bedrooms and as throw rugs anywhere in the house. Made in the following sizes:

| | |
|-----|-----------------|
| 100 | Size 25" x 50" |
| 101 | Size 25" x 60" |
| 102 | Size 25" x 72" |
| 103 | Size 25" x 84" |
| 104 | Size 25" x 96" |
| 105 | Size 25" x 108" |
| 106 | Size 6½' x 9' |
| 107 | Size 9' x 12' |


Prices for other lengths furnished on request.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

DOOR MATS

Both rubber and cocoa door mats are manufactured. They save floors, keep feet dry, and ease strain of standing for long periods on concrete floors. Strong and durable materials are used and the mats will give splendid service.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



COCOA DOOR MATS

These mats are made of Coir fibre and are woven by hand. They are an inch and a half in thickness. They are made of the very best materials and are as good as any cocoa mat on the market. They are furnished in the following sizes:

| | | | |
|----|----------------|----|----------------|
| 30 | Size 13" x 23" | 38 | Size 32" x 36" |
| 31 | Size 15" x 27" | 39 | Size 36" x 60" |
| 32 | Size 18" x 30" | 40 | Size 36" x 72" |
| 33 | Size 18" x 96" | 41 | Size 36" x 96" |
| 34 | Size 22" x 36" | 42 | Size 42" x 60" |
| 35 | Size 24" x 36" | 43 | Size 48" x 48" |
| 36 | Size 24" x 40" | 44 | Size 54" x 60" |
| 37 | Size 30" x 48" | | |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana


FLAGS

Indiana Institutional Industries makes Indiana State flags, American flags, red danger flags and golf course flags.

The Indiana State Banners are made of good quality serge and the American flags are made in either signal or wool bunting.

Danger flags and golf course flags are made of red bunting.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



OFFICIAL INDIANA STATE FLAG

Did you know Indiana has a State banner? It was adopted by the General Assembly of the State of Indiana in 1917. It should be displayed in every school room and every civic office in the State. Every child in the schools should be taught the meaning of this flag.

FLAG HISTORY

The thirteen stars in the outer circle represent the thirteen original States. The five stars in the inner half of the circle below the torch represents the States admitted prior to Indiana and after the thirteen original States. The large star above the flaming torch of Liberty and Enlightenment represents INDIANA, the nineteenth State of the Union.

* * * * *

These flags are exceptionally well made of good quality serge with stars and torch of gold felt, bordered with gold fringe. Ties are sewed on. Flags can be furnished with torch and stars sewed on both sides, or can be on one side only.

- | | | | | | |
|------|---|------|--|------|-----------------------------------|
| 2170 | Size 4' 4" x 5' 6" Emblem both sides | 2171 | Size 4' 4" x 5' 6" Emblem one side only | 2172 | Size 2' 2" x 2' 9" Auto banner |
|------|---|------|--|------|-----------------------------------|

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

AMERICAN FLAGS

These flags are made of signal bunting. All flags are double stitched, reinforced and have double seams. Stars are firmly stitched in place by hand.



- | | |
|------|---------------------|
| 2173 | Size 2' 4½" x 4' 6" |
| 2174 | Size 4' x 6' |
| 2175 | Size 5' x 9' 6" |

Made of cotton bunting. A splendid flag for the price.

- | | |
|------|--------------|
| 2176 | Size 4' x 6' |
| 2177 | Size 5' x 8' |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

RED DANGER FLAGS



- 2178 Made of red bunting with 25" slotted stick.
Size 18" x 18".
- 2179 Made of red bunting without stick.
Size 18" x 18".

GOLF COURSE FLAGS

- 2180 Made of red bunting with white felt numbers.
Size 18" x 18". Per set of nine.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

TOWELING

All toweling is bleached pure white. The linen toweling is made of cotton warp and linen filler. The cotton toweling is all cotton of a very good grade. Both will give good wear.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

LINEN TOWELING

- 50 This toweling is made of cotton warp and linen filler. It is bleached pure white. It is 17 inches wide and is a very high grade toweling and will give good wear. Furnished in 50 yard bolts.

COTTON TOWELING

- 51 This toweling is all cotton and is bleached pure white. It is 17 inches wide and is a very good grade cotton toweling. It is furnished in 50 yard bolts.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

WILLOW PRODUCTS

Baskets of all sorts are made in the willow factory. The weaving is painstakingly done and the products of this department are on a par with any on the market.

The willow industry provides a very important cog in the industrial program. Willows have been imported from England and Germany and are propagated for use in the willow plant.

Prices are quoted for unpainted baskets on the following pages. Baskets can be painted any color desired for an additional cost which will be furnished upon request. Also, baskets for any purpose whatsoever can be furnished upon receipt of specifications.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

MARKET BASKETS

These are willow baskets, oval in shape. Closely woven and will withstand hard wear.

- | | |
|------|---|
| 5011 | Height 6½ inches, top 8 x 13 inches, bottom 6 x 9 inches. |
| 5012 | Height 7 inches, top 10 x 15 inches, bottom 7 x 10½ inches. |
| 5013 | Height 8 inches, top 12 x 17 inches, bottom 8 x 12 inches. |



CLOTHES BASKETS

These willow baskets are woven and will outlast any similar basket on the market. Made of full willow.

- | | |
|------|--|
| 5021 | Height 12 inches, top 26 x 17 inches, bottom 14 x 9 inches. |
| 5022 | Height 13 inches, top 32 x 23 inches, bottom 19 x 12 inches. |
| 5023 | Height 13 inches, top 30 x 20 inches, bottom 18 x 11 inches. |

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



AUTO MARKET BASKETS

Oval in shape with straight sides woven willow and flat reed.

- 5014 Bottom $14\frac{1}{2}$ x 7 inches, top 15 x 8 inches, depth $8\frac{1}{2}$ inches, height overall 15 inches.

WASTE BASKETS

Willow waste basket closely woven and well made. For offices or homes.

- 5015 Height 15 inches, top 15 inches in diameter, bottom 10 inches in diameter.
- 5016 Bottom $9\frac{1}{2}$ inches diameter, top 12 inches diameter, height $11\frac{1}{2}$ inches.



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



BABY BASKET

5017

Bottom 21 x 11 inches, top 28 x 18½ inches, height 13 inches. Has two grip and two bail handles. Made of whole and flat willow.

BREAD OR LAUNDRY BASKETS

These baskets are oblong in shape. They are strong and well made and will withstand rough handling.

- | | |
|------|--|
| 5018 | Height 13 inches, top 24 x 14 inches, outside bottom dimensions, 13 x 21 inches. |
| 5019 | Height 15 inches, top 29 x 17½ inches, outside bottom dimensions 14 x 24 inches. |
| 5020 | Height 18 inches, top 34 x 22 inches, outside bottom dimensions 17 x 28 inches. |



INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana



CLOTHES HAMPERS

These square clothes hampers are well made of full willow and will withstand rough usage. Have a lid and two grip handles.

5024 Bottom 12 x 14 inches, top 15 x 18 inches, height 25 inches.

5025 Bottom 14 x 16 inches, top 18 x 20 inches, height 29 inches.

WILLOW FEED BASKETS

These willow feed baskets are closely woven, well made and will withstand hard wear. These baskets have a bail handle and are made of extra heavy full willow.



5027 With grip handles. Height 15 inches, bottom 15 inches in diameter, top 23 inches in diameter, overall height 23 inches.



5026 Height 13 inches, bottom 13 inches diameter, top 19 inches diameter, overall height 24 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

AUTO BASKET

These auto baskets are well made, closely woven and have two strong bail handles.



5028 Height 10½ inches, bottom 12 x 6 inches, top 14½ x 8 inches.

5029 Height 12 inches, bottom 8 x 14 inches, top 16 x 9½ inches.

SHOPPING BASKET

Round shopping basket made of full willow with a bail handle.



5030 Bottom 9 inches, top 11½ inches, height 6 inches, height overall 13 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

PICNIC BASKETS



An oblong, very sturdy, flat bottom basket made of full willow and has a bail handle. The larger basket has a partition in one end for silverware.

5031 Size 13 x 18 inches, height 7 inches, overall height 15 inches.

5032 Size 13 x 21 inches, height 7 inches, overall height 15 inches.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

BOOK BINDERY

The Book Bindery is equipped to do any kind of book binding. Any size book can be bound and a varied line of materials is carried in stock.

The Bindery is also equipped to bind newspapers, pamphlets, and magazines. It is especially well equipped to handle the binding of county records, township records, city and school records, etc. Careful attention is given to rebinding old records from county, city, township and state offices.

Cowhide, Morocco, Fabrikoid, Buckram and Vellum are some of the materials carried in stock. These can be had in most any color.

The work in this Bindery is on a par with that done in any private industry. We invite your inquiries.

Prices will be furnished for special work on request.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

MAGAZINE BINDERY

- 11 Advertising to be removed, pages carefully collated, oversewed and bound in washable Library Buckram, with title, volume number, date and library imprint stamped on back thereof.

BINDING NEWSPAPERS

- 12 Canvas or duck back and tips, mottled paper sides, leather labeled and lettered on back.

LIBRARY BOOKS

- 13 All books collated, oversewed, and bound in washable Library Buckram. Title, author, call numbers and library name stamped on the backbone of book.

NOTE: Dictionaries and large reference books to be considered as special jobs on which prices will be quoted on application. Books over 12" in height, to be classed as magazines. Matching colors or ruboffs, music sewing, hand sewing, etc., to be charged at nominal extra fee.

REBINDING LAW BOOKS

- 14 Rebinding in full Buckram, leather labels.

REBINDING BRIEFS

- 15 We give special attention to rebinding briefs and you will find they are neat and durable.

INDIANA INSTITUTIONAL INDUSTRIES
141 South Meridian Street
Indianapolis, Indiana

| Stock No. | Description & Size | Prices, f. o. b. Point of Shipment |
|-----------|--|---------------------------------------|
| 11 | Magazine binding. 10 in. in height and under | 1.00 volume |
| | Additional inch in height | .15 extra |
| | Inch or part thereof over 2½ in. thick | .05 per inch |
| | Stamping in excess of 8 lines | .05 per line |
| 12 | Binding newspapers. Less than 5 volumes | 6.50 volume |
| | 5 volumes or less than 10 | 5.00 volume |
| | 10 volumes or more | 3.50 volume |
| | NOTE: Add \$1.50 per volume for Washable Buckram binding with leather back and tips. | |
| 13 | Library books. Books 8 in. or less | .50 book |
| | Additional inch or fraction thereof, up to 12 inches in height. | .05 per inch |
| | Over 1¼ in. in thickness or part thereof | .02½ per inch |
| | Stamping in excess of 8 lines | .05 per line |
| 14 | Rebinding law books. Up to 10 in. in height | 1.00 book |
| | Additional 2 in. up to 18 in. | .25 per inch |
| | Part of inch over 2½ in. thick | .05 per inch |
| | Stamping in excess of 8 lines | .05 per line |
| 15 | Rebinding briefs. Up to 3½ in. thick | 1.00 |
| | 3½ in. to 5 in. thick | 1.25 |
| | Over 5 in. thick | 1.50 |

NOT TO BE CIRCULATED

A00000100515964

